

ZESTAWIENIE POJEDYNCZYCH PLYT

POZ.		OZNACZENIE			STAL	E-GOT	PLYTA		STAL
Nr	Szt	Dlug. x Szerok x Grub.			m		m2	m2	kg
1	1	Strop filigr	3.700x 2.480x	0.050m			9.18		
	9	Pretы podl	d 8	3.93					13.97
	8	Pretы podl	d 6	2.90					5.15
	13	Pretы poprz	d 6	2.44					7.04
	4	Kratownica	KT814	3.68					19.33
2	1	Strop filigr	5.200x 2.480x	0.050m			12.15		
	12	Pretы podl	d10	2.20-	5.43				27.76
	9	Pretы podl	d10	1.67-	4.40				20.58
	17	Pretы poprz	d 6	1.69-	2.44				8.49
	4	Kratownica	KT814	3.68-	5.18				25.23
	2	Kratown scinana	KT810	1.00					2.41
	5	Kratown scinana	KT814	1.00-	2.40				8.40
	2	Kratown scinana	KT810	2.46					5.94
	2	Pretы dodatк	d 8	2.44					1.93
	4	Pretы dodatк	d12	2.50					8.87
	1	Otwor na krawedzi plyty					0.02m2		
	1	Otwor w plycie					0.14m2		
3	1	Strop filigr	5.200x 2.480x	0.050m			12.90		
	10	Pretы podl	d10	2.20-	5.43				29.94
	8	Pretы podl	d10		4.40				21.68
	17	Pretы poprz	d 6	2.30-	2.44				9.18
	4	Kratownica	KT814		5.18				27.21
	1	Kratown scinana	KT814	1.00					1.31
	2	Pretы dodatк	d12	2.50					4.44
	1	Otwor na krawedzi plyty					0.04m2		
4	1	Strop filigr	5.200x 2.215x	0.050m			11.52		
	9	Pretы podl	d 8	1.13-	5.43				17.06
	8	Pretы podl	d 8	0.60-	4.40				12.06
	17	Pretы poprz	d 6	1.96-	2.18				8.18
	4	Kratownica	KT814		5.18				27.21
	1	Pretы dodatк	d12	2.00					1.77
	1	Otwor na krawedzi plyty					0.05m2		
5	1	Strop filigr	4.000x 1.210x	0.050m			4.84		
	4	Pretы podl	d 8	4.23					6.68
	4	Pretы podl	d 6	3.20					2.84
	13	Pretы poprz	d 6	1.17					3.38
	2	Kratownica	KT814	3.98					10.45
6	1	Strop filigr	4.000x 2.480x	0.050m			9.92		
	9	Pretы podl	d 8	4.23					15.04
	8	Pretы podl	d 6	3.20					5.68
	13	Pretы poprz	d 6	2.44					7.04

	4	Kratownica	KT814	3.98			20.90
7	1	Strop filigr	4.000x 2.480x 0.050m		9.92		
	9	Prety podl	d 8	3.30- 4.23			14.67
	8	Prety podl	d 6	2.77- 3.20			5.58
	16	Prety poprz	d 6	1.06- 2.44			6.86
	4	Kratownica	KT814	3.98			20.90
	1	Kratown scinana	KT810	1.00			1.21
	4	Prety dodatk	d12	2.00			7.10
	3	Prety dodatk	d 8	2.44			2.89
	1	Otwor na krawedzi plyty			0.20m2		
8	1	Strop filigr	4.000x 1.385x 0.050m		5.54		
	5	Prety podl	d 8	4.23			8.35
	4	Prety podl	d 6	3.20			2.84
	13	Prety poprz	d 6	1.35			3.90
	3	Kratownica	KT814	3.98			15.68
9	1	Strop filigr	4.600x 1.870x 0.050m		8.60		
	7	Prety podl	d 8	1.61- 4.83			11.35
	7	Prety podl	d 8	1.09- 3.80			8.90
	15	Prety poprz	d 6	1.57- 1.83			6.04
	4	Kratownica	KT814	4.58			24.05
	2	Kratown scinana	KT810	1.00			2.41
	3	Prety dodatk	d 8	1.83- 2.00			2.24
	1	Otwor na krawedzi plyty			0.06m2		
10		Strop filigr	5.0 cm				
	1	6.100 x 2.480 m			15.13		
	9	Prety podl	d 8	6.33			22.50
	8	Prety podl	d 8	5.30			16.75
	21	Prety poprz	d 6	2.44			11.38
	4	Kratownica	KT814	6.08			31.93
11		Strop filigr	5.0 cm				
	1	6.100 x 2.480 m			15.13		
	9	Prety podl	d10	6.33			35.09
	8	Prety podl	d10	5.30			26.12
	21	Prety poprz	d 6	2.44			11.38
	4	Kratownica	KT814	6.08			31.93
12		Strop filigr	5.0 cm				
	1	6.100 x 2.480 m			15.13		
	9	Prety podl	d10	6.33			35.09
	8	Prety podl	d10	5.30			26.12
	21	Prety poprz	d 6	2.44			11.38
	4	Kratownica	KT814	6.08			31.93
13		Strop filigr	5.0 cm				
	1	6.100 x 1.015 m			6.19		
	5	Prety podl	d 8	2.62- 6.33			9.62
	4	Prety podl	d 8	2.10- 5.30			6.11
	21	Prety poprz	d 6	0.63- 0.98			4.38
	2	Kratownica	KT814	6.08			15.97

	3	Kratown scinana KT810	0.99			3.58
	2	Kratown scinanaKT814	2.50- 2.78			6.93
	7	Pretы dodatк d 8	0.97- 2.75			4.51
	1	Otwor na krawedzi plyty		0.14m2		
	1	Otwor na krawedzi plyty		0.08m2		
<hr/>						
14		Strop filigr	5.0 cm			
	1	6.100 x 2.480 m		15.13		
	9	Pretы podl d 8	6.33			22.50
	8	Pretы podl d 8	5.30			16.75
	21	Pretы poprz d 6	2.44			11.38
	4	Kratownica KT814	6.08			31.93
<hr/>						
15		Strop filigr	5.0 cm			
	1	6.100 x 2.480 m		15.13		
	9	Pretы podl d10	6.33			35.09
	8	Pretы podl d10	5.30			26.12
	21	Pretы poprz d 6	2.44			11.38
	4	Kratownica KT814	6.08			31.93
<hr/>						
16		Strop filigr	5.0 cm			
	1	6.100 x 2.480 m		15.13		
	9	Pretы podl d10	6.33			35.09
	8	Pretы podl d10	5.30			26.12
	21	Pretы poprz d 6	2.44			11.38
	4	Kratownica KT814	6.08			31.93
<hr/>						
17		Strop filigr	5.0 cm			
	1	6.100 x 1.015 m		6.19		
	5	Pretы podl d 8	2.62- 6.33			9.48
	4	Pretы podl d 8	2.10- 5.44			6.16
	21	Pretы poprz d 6	0.43- 0.98			4.34
	2	Kratownica KT814	5.79- 6.08			15.58
	3	Kratown scinana KT810	0.99			3.58
	3	Kratown scinanaKT814	1.00- 2.78			8.24
	7	Pretы dodatк d 8	0.97- 2.75			4.51
	1	Otwor na krawedzi plyty		0.14m2		
	1	Otwor na krawedzi plyty		0.12m2		
<hr/>						
18		Strop filigr	5.0 cm			
	1	6.100 x 2.480 m		15.13		
	9	Pretы podl d 8	6.33			22.50
	8	Pretы podl d 8	5.30			16.75
	21	Pretы poprz d 6	2.44			11.38
	4	Kratownica KT814	6.08			31.93
<hr/>						
19		Strop filigr	5.0 cm			
	1	6.100 x 2.480 m		15.13		
	9	Pretы podl d10	6.33			35.09
	8	Pretы podl d10	5.30			26.12
	21	Pretы poprz d 6	2.44			11.38
	4	Kratownica KT814	6.08			31.93
<hr/>						
20		Strop filigr	5.0 cm			

	1	6.100 x 2.480 m		15.13	
	9	Prety podl d10	6.33		35.09
	8	Prety podl d10	5.30		26.12
	21	Prety poprz d 6	2.44		11.38
	4	Kratownica KT814	6.08		31.93
21		Strop filigr 5.0 cm			
	1	6.100 x 1.015 m		6.19	
	5	Prety podl d 8	2.30- 6.33		9.50
	4	Prety podl d 8	1.77- 5.30		5.98
	21	Prety poprz d 6	0.63- 0.98		4.38
	2	Kratownica KT814	6.08		15.97
	4	Kratown scinana KT810	0.99		4.78
	2	Kratown scinanaKT814	2.17- 2.78		6.50
	8	Prety dodatk d 8	0.97- 2.75		4.89
	1	Otwor na krawedzi plyty		0.06m2	
	1	Otwor na krawedzi plyty		0.08m2	
	1	Otwor na krawedzi plyty		0.14m2	
22		Strop filigr 5.0 cm			
	1	6.100 x 2.480 m		15.13	
	9	Prety podl d 8	6.33		22.50
	8	Prety podl d 8	5.30		16.75
	21	Prety poprz d 6	2.44		11.38
	4	Kratownica KT814	6.08		31.93
23		Strop filigr 5.0 cm			
	1	6.100 x 2.480 m		15.13	
	9	Prety podl d10	6.33		35.09
	8	Prety podl d10	5.30		26.12
	21	Prety poprz d 6	2.44		11.38
	4	Kratownica KT814	6.08		31.93
24		Strop filigr 5.0 cm			
	1	6.100 x 2.480 m		15.13	
	9	Prety podl d10	6.33		35.09
	8	Prety podl d10	5.30		26.12
	21	Prety poprz d 6	2.44		11.38
	4	Kratownica KT814	6.08		31.93
25		Strop filigr 5.0 cm			
	1	6.100 x 1.015 m		6.19	
	5	Prety podl d 8	2.62- 6.33		9.62
	4	Prety podl d 8	2.10- 5.30		6.11
	21	Prety poprz d 6	0.63- 0.98		4.38
	2	Kratownica KT814	6.08		15.97
	3	Kratown scinana KT810	0.99		3.58
	2	Kratown scinanaKT814	2.50- 2.78		6.93
	7	Prety dodatk d 8	0.97- 2.75		4.51
	1	Otwor na krawedzi plyty		0.14m2	
	1	Otwor na krawedzi plyty		0.08m2	
26		Strop filigr 5.0 cm			
	1	3.700 x 2.480 m		9.18	

	9	Prety podł d 8	3.93			13.97
	8	Prety podł d 6	2.90			5.15
	13	Prety poprz d 6	2.44			7.04
	4	Kratownica KT814	3.68			19.33
27		Strop filigr 5.0 cm				
	1	5.200 x 2.480 m		12.15		
	12	Prety podł d10 2.20- 5.43				27.53
	9	Prety podł d10 1.67- 4.40				20.58
	18	Prety poprz d 6 0.25- 2.44				8.44
	4	Kratownica KT814 3.68- 5.18				25.23
	3	Kratown scinana KT810 1.00				3.62
	6	Kratown scinana KT814 1.00- 2.40				9.72
	2	Kratown scinana KT810 2.46				5.94
	6	Prety dodatk d12 2.00- 2.50				12.42
	3	Prety dodatk d 8 2.44				2.89
	1	Otwor na krawedzi plyty		0.05m2		
	1	Otwor na krawedzi plyty		0.02m2		
	1	Otwor w plycie		0.14m2		
28		Strop filigr 5.0 cm				
	1	5.200 x 2.480 m		12.90		
	10	Prety podł d10 2.20- 5.43				29.94
	8	Prety podł d10 4.40				21.68
	17	Prety poprz d 6 2.30- 2.44				9.18
	4	Kratownica KT814 5.18				27.21
	1	Kratown scinana KT814 1.00				1.31
	2	Prety dodatk d12 2.50				4.44
	1	Otwor na krawedzi plyty		0.04m2		
29		Strop filigr 5.0 cm				
	1	5.200 x 2.215 m		11.52		
	9	Prety podł d 8 1.13- 5.43				17.06
	8	Prety podł d 8 0.60- 4.40				12.06
	17	Prety poprz d 6 1.96- 2.18				8.18
	4	Kratownica KT814 5.18				27.21
	1	Prety dodatk d12 2.00				1.77
	1	Otwor na krawedzi plyty		0.05m2		
30		Strop filigr 5.0 cm				
	1	4.600 x 1.870 m		8.60		
	6	Prety podł d 8 4.83				11.45
	7	Prety podł d 8 1.14- 3.80				8.82
	15	Prety poprz d 6 1.57- 1.83				5.98
	4	Kratownica KT814 4.58				24.05
	2	Kratown scinana KT810 0.99				2.39
	3	Prety dodatk d 8 1.83- 4.83				3.36
	1	Otwor na krawedzi plyty		0.12m2		
31		Strop filigr 5.0 cm				
	1	4.000 x 1.210 m		4.84		
	4	Prety podł d 8 4.23				6.68
	4	Prety podł d 6 3.20				2.84
	13	Prety poprz d 6 1.17				3.38

2	Kratownica	KT814	3.98		10.45
32	Strop filigr	5.0 cm			
1	4.000 x 2.480 m			9.92	
9	Prety podl d 8	4.23			15.04
8	Prety podl d 6	2.77- 3.20			5.58
16	Prety poprz d 6	0.89- 2.44			6.85
4	Kratownica	KT814	3.98		20.90
1	Kratown scinana	KT810	1.00		1.21
1	Kratown scinana	KT814	1.00		1.31
4	Prety dodatk d12	2.00			7.10
3	Prety dodatk d 8	2.44			2.89
1	Otwor na krawedzi plyty			0.20m2	
33	Strop filigr	5.0 cm			
1	4.000 x 2.480 m			9.92	
9	Prety podl d 8	3.59- 4.23			14.79
8	Prety podl d 6	3.20			5.68
15	Prety poprz d 6	0.84- 2.44			6.92
4	Kratownica	KT814	3.47- 3.98		20.24
1	Kratown scinana	KT810	1.00		1.21
2	Kratown scinana	KT814	1.00		2.63
4	Prety dodatk d12	2.00			7.10
3	Prety dodatk d 8	2.44			2.89
1	Otwor na krawedzi plyty			0.12m2	
34	Strop filigr	5.0 cm			
1	4.000 x 1.385 m			5.54	
5	Prety podl d 8	4.23			8.35
4	Prety podl d 6	3.20			2.84
13	Prety poprz d 6	1.35			3.90
3	Kratownica	KT814	3.98		15.68
35	Strop filigr	5.0 cm			
1	2.500 x 1.210 m			3.03	
4	Prety podl d 8	2.73			4.31
4	Prety podl d 8	1.70			2.69
9	Prety poprz d 6	1.17			2.34
2	Kratownica	KT814	2.48		6.51
2	Kratown scinana	KT810	1.19		2.87
36	Strop filigr	5.0 cm			
1	2.500 x 2.480 m			6.20	
9	Prety podl d10	2.73			15.14
8	Prety podl d 8	1.70			5.37
9	Prety poprz d 6	2.44			4.88
4	Kratownica	KT814	2.48		13.02
2	Kratown scinana	KT810	2.46		5.94
37	Strop filigr	5.0 cm			
1	2.500 x 2.480 m			6.20	
9	Prety podl d10	2.33- 2.73			14.64
8	Prety podl d 8	1.70- 1.80			5.45
9	Prety poprz d 6	1.90- 2.44			4.75

	4	Kratownica KT814	2.20-	2.48			12.66
	1	Kratown scinana KT810		1.00			1.21
	1	Kratown scinana KT814		1.00			1.31
	2	Kratown scinana KT810		2.46			5.94
	1	Prety dodatk d 8		2.44			0.96
	2	Prety dodatk d10		2.73			3.36
	1	Otwor na krawedzi plyty			0.15m2		
38		Strop filigr	5.0 cm				
	1	2.500 x 1.385 m			3.46		
	5	Prety podl d 8		2.73			5.39
	4	Prety podl d 8		1.70			2.69
	9	Prety poprz d 6	1.31-	1.35			2.69
	3	Kratownica KT814		2.48			9.77
	1	Kratown scinana KT814		1.00			1.31
	2	Kratown scinana KT810		1.36			3.28
	2	Prety dodatk d10		2.73			3.36
	1	Otwor na krawedzi plyty			0.02m2		
39		Strop filigr	5.0 cm				
	1	1.900 x 2.480 m			4.71		
	17	Prety podl d 6		2.13			8.04
	13	Prety poprz d 6		2.44			7.04
	4	Kratownica KT814		1.88			9.87
	2	Kratown scinana KT810		2.46			5.94
40		Strop filigr	5.0 cm				
	1	1.900 x 2.480 m			4.71		
	17	Prety podl d 6		2.13			8.04
	13	Prety poprz d 6		2.44			7.04
	4	Kratownica KT814		1.88			9.87
	2	Kratown scinana KT810		2.46			5.94
41		Strop filigr	5.0 cm				
	1	1.900 x 2.480 m			4.71		
	17	Prety podl d 6		2.13			8.04
	13	Prety poprz d 6		2.44			7.04
	4	Kratownica KT814		1.88			9.87
	2	Kratown scinana KT810		2.46			5.94
42		Strop filigr	5.0 cm				
	1	1.900 x 2.480 m			4.71		
	17	Prety podl d 6		2.13			8.04
	13	Prety poprz d 6		2.44			7.04
	4	Kratownica KT814		1.88			9.87
	2	Kratown scinana KT810		2.46			5.94
43		Strop filigr	5.0 cm				
	1	1.900 x 2.480 m			4.71		
	17	Prety podl d 6		2.13			8.04
	13	Prety poprz d 6		2.44			7.04
	4	Kratownica KT814		1.88			9.87
	2	Kratown scinana KT810		2.46			5.94

44		Strop filigr	5.0 cm			
	1	1.900 x 2.480 m			4.71	
	17	Prety podl d 6	2.13			8.04
	13	Prety poprz d 6	2.44			7.04
	4	Kratownica KT814	1.88			9.87
	2	Kratown scinana KT810	2.46			5.94
45		Strop filigr	5.0 cm			
	1	1.900 x 2.480 m			4.71	
	17	Prety podl d 6	2.13			8.04
	13	Prety poprz d 6	2.44			7.04
	4	Kratownica KT814	1.88			9.87
	2	Kratown scinana KT810	2.46			5.94
46		Strop filigr	5.0 cm			
	1	1.900 x 2.480 m			4.71	
	17	Prety podl d 6	2.13			8.04
	13	Prety poprz d 6	2.44			7.04
	4	Kratownica KT814	1.88			9.87
	2	Kratown scinana KT810	2.46			5.94
47		Strop filigr	5.0 cm			
	1	1.900 x 2.480 m			4.71	
	17	Prety podl d 6	2.13			8.04
	13	Prety poprz d 6	2.44			7.04
	4	Kratownica KT814	1.88			9.87
	2	Kratown scinana KT810	2.46			5.94
48		Strop filigr	5.0 cm			
	1	1.900 x 2.480 m			4.71	
	17	Prety podl d 6	2.13			8.04
	13	Prety poprz d 6	2.44			7.04
	4	Kratownica KT814	1.88			9.87
	2	Kratown scinana KT810	2.46			5.94
49		Strop filigr	5.0 cm			
	1	1.900 x 2.480 m			4.71	
	17	Prety podl d 6	2.13			8.04
	13	Prety poprz d 6	2.44			7.04
	4	Kratownica KT814	1.88			9.87
	2	Kratown scinana KT810	2.46			5.94
50		Strop filigr	5.0 cm			
	1	1.900 x 1.835 m			3.49	
	13	Prety podl d 6	2.13			6.15
	13	Prety poprz d 6	1.80			5.19
	3	Kratownica KT814	1.88			7.41
	2	Kratown scinana KT810	1.81			4.37
51		Strop filigr	5.0 cm			
	1	2.500 x 1.385 m			3.46	
	5	Prety podl d 8	2.73			5.39
	4	Prety podl d 8	1.70			2.69
	9	Prety poprz d 6	1.31- 1.35			2.69

	3	Kratownica KT814	2.48			9.77
	1	Kratown scinana KT814	1.00			1.31
	2	Kratown scinana KT810	1.36			3.28
	2	Prety dodatk d10	2.73			3.36
	1	Otwor na krawedzi plyty		0.02m2		
52		Strop filigr 5.0 cm				
	1	2.500 x 2.480 m		6.20		
	9	Prety podl d10	2.33- 2.73			14.64
	8	Prety podl d 8	1.70- 1.80			5.45
	9	Prety poprz d 6	1.90- 2.44			4.75
	4	Kratownica KT814	2.20- 2.48			12.66
	1	Kratown scinana KT810	1.00			1.21
	1	Kratown scinana KT814	1.00			1.31
	2	Kratown scinana KT810	2.46			5.94
	1	Prety dodatk d 8	2.44			0.96
	2	Prety dodatk d10	2.73			3.36
	1	Otwor na krawedzi plyty		0.15m2		
53		Strop filigr 5.0 cm				
	1	2.500 x 2.480 m		6.20		
	9	Prety podl d10	2.73			15.14
	8	Prety podl d 8	1.70			5.37
	9	Prety poprz d 6	2.44			4.88
	4	Kratownica KT814	2.48			13.02
	1	Kratown scinana KT814	0.64			0.84
	2	Kratown scinana KT810	2.46			5.94
54		Strop filigr 5.0 cm				
	1	2.500 x 1.210 m		3.03		
	4	Prety podl d 8	2.73			4.31
	4	Prety podl d 8	1.70			2.69
	9	Prety poprz d 6	1.17			2.34
	2	Kratownica KT814	2.48			6.51
	2	Kratown scinana KT810	1.19			2.87
55		Strop filigr 5.0 cm				
	1	4.000 x 1.210 m		4.84		
	4	Prety podl d 8	4.23			6.68
	4	Prety podl d 8	3.20			5.06
	13	Prety poprz d 6	1.17			3.38
	2	Kratownica KT814	3.98			10.45
56		Strop filigr 5.0 cm				
	1	4.000 x 2.480 m		9.92		
	9	Prety podl d10	4.23			23.45
	8	Prety podl d10	3.20			15.77
	13	Prety poprz d 6	2.44			7.04
	4	Kratownica KT814	3.98			20.90
57		Strop filigr 5.0 cm				
	1	4.000 x 2.480 m		9.92		
	10	Prety podl d10	1.17- 4.23			23.06
	9	Prety podl d10	0.64- 3.20			15.36

15	Prety poprz d 6	1.01- 2.44		6.93
4	Kratownica KT814	3.98		20.90
2	Kratown scinana KT810	1.00		2.41
1	Kratown scinana KT814	2.00		2.63
6	Prety dodatk d 8	2.44		5.78
4	Prety dodatk d10	3.00		7.39
1	Otwor w plycie		0.13m2	
58	Strop filigr 5.0 cm			
1	4.000 x 1.385 m		5.54	
5	Prety podl d 8	4.23		8.35
4	Prety podl d 8	3.20		5.06
13	Prety poprz d 6	1.35		3.90
3	Kratownica KT814	3.98		15.68
59	Strop filigr 5.0 cm			
1	5.500 x 1.210 m		6.66	
4	Prety podl d10	5.73		14.12
4	Prety podl d 8	4.70		7.43
19	Prety poprz d 6	1.17		4.94
2	Kratownica KT814	5.48		14.39
60	Strop filigr 5.0 cm			
1	5.500 x 1.555 m		8.55	
5	Prety podl d10	5.73		17.65
5	Prety podl d 8	4.70		9.28
19	Prety poprz d 6	1.52		6.41
4	Kratownica KT814	5.48		28.78
61	Strop filigr 5.0 cm			
1	5.500 x 2.480 m		13.64	
9	Prety podl d12	5.04- 5.73		44.52
8	Prety podl d10	4.52- 4.70		23.05
19	Prety poprz d 6	2.10- 2.44		10.14
4	Kratownica KT814	4.92- 5.48		28.05
1	Kratown scinana KT810	1.00		1.21
1	Kratown scinana KT814	5.48		7.20
2	Prety dodatk d12	2.00		3.55
2	Prety dodatk d 8	2.44		1.93
1	Otwor na krawedzi plyty		0.17m2	
62	Strop filigr 5.0 cm			
1	5.500 x 2.480 m		13.64	
9	Prety podl d12	5.73		45.74
8	Prety podl d10	4.70		23.16
19	Prety poprz d 6	2.44		10.29
4	Kratownica KT814	5.48		28.78
63	Strop filigr 5.0 cm			
1	5.500 x 2.300 m		12.65	
8	Prety podl d10	5.37- 5.73		28.02
7	Prety podl d 8	4.70- 4.84		13.05
19	Prety poprz d 6	1.92- 2.26		9.46
4	Kratownica KT814	5.24- 5.48		28.47

	1	Kratown scinana KT810	0.99			1.19
	1	Kratown scinana KT814	1.00			1.31
	2	Pretы dodatк d12	2.00			3.55
	1	Pretы dodatк d 8	2.26			0.89
	1	Otwor na krawedzi plyty		0.08m2		
64		Strop filigr 5.0 cm				
	1	4.000 x 1.740 m		6.96		
	6	Pretы podl d10	4.23			15.63
	6	Pretы podl d 8	3.20			7.58
	13	Pretы poprz d 6	1.70			4.91
	3	Kratownica KT814	3.98			15.68
	1	Kratown scinana KT814	1.00			1.31
65		Strop filigr 5.0 cm				
	1	1.950 x 1.435 m		2.80		
	9	Pretы podl d 6	2.18			4.36
	13	Pretы poprz d 6	1.40			4.04
	3	Kratownica KT814	1.93			7.60
	1	Kratown scinana KT814	1.00			1.31
	2	Pretы dodatк d 8	2.18			1.72
66		Strop filigr 5.0 cm				
	1	1.950 x 1.210 m		2.36		
	9	Pretы podl d 6	1.84- 2.18			4.21
	13	Pretы poprz d 6	0.95- 1.17			3.33
	2	Kratownica KT814	1.93			5.07
	1	Kratown scinana KT810	1.00			1.21
	1	Otwor na krawedzi plyty		0.05m2		
67		Strop filigr 5.0 cm				
	1	5.500 x 2.480 m		13.64		
	9	Pretы podl d10	5.37- 5.73			31.33
	8	Pretы podl d 8	4.70- 4.84			14.91
	19	Pretы poprz d 6	2.10- 2.44			10.22
	4	Kratownica KT814	5.24- 5.48			28.47
	1	Kratown scinana KT810	1.00			1.21
	1	Kratown scinana KT814	1.00			1.31
	2	Pretы dodatк d12	2.00			3.55
	1	Pretы dodatк d 8	2.44			0.96
	1	Otwor na krawedzi plyty		0.08m2		
68		Strop filigr 5.0 cm				
	1	5.500 x 2.480 m		13.64		
	9	Pretы podl d12	5.73			45.74
	8	Pretы podl d10	4.70			23.16
	19	Pretы poprz d 6	2.44			10.29
	4	Kratownica KT814	5.48			28.78
69		Strop filigr 5.0 cm				
	1	5.500 x 2.300 m		12.65		
	8	Pretы podl d12	5.04- 5.73			40.05
	7	Pretы podl d10	4.52- 4.70			20.15
	19	Pretы poprz d 6	1.92- 2.26			9.38

	4	Kratownica KT814	4.92- 5.48			28.05
	1	Kratown scinana KT810	0.99			1.19
	1	Kratown scinana KT814	5.48			7.20
	2	Prety dodatk d12	2.00			3.55
	1	Prety dodatk d 8	2.26			0.89
	1	Otwor na krawedzi plyty		0.17m2		
70		Strop filigr	5.0 cm			
	1	5.500 x 1.210 m		6.66		
	4	Prety podl d10	5.73			14.12
	4	Prety podl d 8	4.70			7.43
	19	Prety poprz d 6	1.17			4.94
	3	Kratownica KT814	5.48			21.59
71		Strop filigr	5.0 cm			
	1	5.500 x 1.555 m		8.55		
	5	Prety podl d10	5.73			17.65
	5	Prety podl d 8	4.70			9.28
	19	Prety poprz d 6	1.52			6.41
	3	Kratownica KT814	5.48			21.59
72		Strop filigr	5.0 cm			
	1	4.000 x 1.210 m		4.84		
	4	Prety podl d 8	4.23			6.68
	4	Prety podl d 8	3.20			5.06
	13	Prety poprz d 6	1.17			3.38
	2	Kratownica KT814	3.98			10.45
73		Strop filigr	5.0 cm			
	1	4.000 x 2.480 m		9.92		
	10	Prety podl d10	1.17- 4.23			23.06
	9	Prety podl d10	0.64- 3.20			15.36
	15	Prety poprz d 6	1.00- 2.44			6.93
	4	Kratownica KT814	3.98			20.90
	2	Kratown scinana KT810	1.00			2.41
	1	Kratown scinana KT814	2.00			2.63
	6	Prety dodatk d 8	2.44			5.78
	4	Prety dodatk d10	3.00			7.39
	1	Otwor w plycie		0.12m2		
74		Strop filigr	5.0 cm			
	1	4.000 x 2.480 m		9.92		
	9	Prety podl d10	4.23			23.45
	8	Prety podl d10	3.20			15.77
	13	Prety poprz d 6	2.44			7.04
	4	Kratownica KT814	3.98			20.90
75		Strop filigr	5.0 cm			
	1	4.000 x 1.385 m		5.54		
	5	Prety podl d 8	4.23			8.35
	4	Prety podl d 8	3.20			5.06
	13	Prety poprz d 6	1.35			3.90
	3	Kratownica KT814	3.98			15.68

76	Strop filigr	5.5 cm			
1	3.100 x 1.600 m			4.96	
11	Prety podl d 6	3.08			7.52
21	Prety poprz d 6	1.56			7.27
4	Kratownica KT810	3.08			14.87
1	Kratown scinana KT807	1.58			1.80
	Siatka strzem R188	0.80x 4.62		3.70	7.98
	Kapinos		4.70m		
	Mostek cieplny		4.34m		
77	Strop filigr	5.5 cm			
1	3.650 x 1.600 m			5.84	
11	Prety podl d 6	3.63			8.86
25	Prety poprz d 6	1.56			8.66
4	Kratownica KT810	3.63			17.53
2	Kratown scinana KT807	1.58			3.60
	Siatka strzem R188	0.80x 3.61		2.89	6.24
	Kapinos		6.85m		
	Mostek cieplny		3.65m		
78	Strop filigr	5.5 cm			
1	3.650 x 1.600 m			5.84	
11	Prety podl d 6	3.63			8.86
25	Prety poprz d 6	1.56			8.66
4	Kratownica KT810	3.63			17.53
2	Kratown scinana KT807	1.58			3.60
	Siatka strzem R188	0.80x 3.61		2.89	6.24
	Mostek cieplny		3.65m		
	Kapinos		6.85m		
79	Strop filigr	5.5 cm			
1	3.650 x 1.600 m			5.84	
11	Prety podl d 6	3.63			8.86
25	Prety poprz d 6	1.56			8.66
4	Kratownica KT810	3.63			17.53
2	Kratown scinana KT807	1.58			3.60
	Siatka strzem R188	0.80x 3.61		2.89	6.24
	Mostek cieplny		3.65m		
	Kapinos		6.85m		
80	Strop filigr	5.5 cm			
1	3.650 x 1.600 m			5.84	
11	Prety podl d 6	3.63			8.86
25	Prety poprz d 6	1.56			8.66
4	Kratownica KT810	3.63			17.53
2	Kratown scinana KT807	1.58			3.60
	Siatka strzem R188	0.80x 3.61		2.89	6.24
	Mostek cieplny		3.65m		
	Kapinos		6.85m		
81	Strop filigr	5.5 cm			
1	3.100 x 1.600 m			4.96	
11	Prety podl d 6	3.08			7.52
21	Prety poprz d 6	1.56			7.27

	4	Kratownica KT810	3.08			14.87
		Siatka strzem R188	0.80x 4.62		3.70	7.98
		Mostek cieplny		4.34m		
		Kapinos		4.70m		
82		Strop filigr	5.5 cm			
	1	3.650 x 1.600 m			5.84	
	11	Prety podl d 6	3.63			8.86
	25	Prety poprz d 6	1.56			8.66
	4	Kratownica KT810	3.63			17.53
	2	Kratown scinana KT807	1.58			3.60
		Siatka strzem R188	0.80x 3.61		2.89	6.24
		Mostek cieplny		3.65m		
		Kapinos		6.85m		
83		Strop filigr	5.5 cm			
	1	4.090 x 1.600 m			6.54	
	11	Prety podl d 6	4.07			9.94
	27	Prety poprz d 6	1.56			9.35
	4	Kratownica KT810	4.07			19.65
	1	Kratown scinana KT807	1.58			1.80
		Siatka strzem R188	0.80x 5.61		4.49	9.69
		Kapinos		5.69m		
		Mostek cieplny		5.51m		
84		Strop filigr	5.5 cm			
	1	3.100 x 1.600 m			4.96	
	11	Prety podl d 6	3.08			7.52
	21	Prety poprz d 6	1.56			7.27
	4	Kratownica KT810	3.08			14.87
	1	Kratown scinana KT807	1.58			1.80
		Siatka strzem R188	0.80x 4.62		3.70	7.98
		Mostek cieplny		4.52m		
		Kapinos		4.70m		
85		Strop filigr	5.5 cm			
	1	3.100 x 1.600 m			4.96	
	11	Prety podl d 6	3.08			7.52
	21	Prety poprz d 6	1.56			7.27
	4	Kratownica KT810	3.08			14.87
	1	Kratown scinana KT807	1.58			1.80
		Siatka strzem R188	0.80x 4.62		3.70	7.98
		Mostek cieplny		4.52m		
		Kapinos		4.70m		
86		Strop filigr	5.5 cm			
	1	4.090 x 1.600 m			6.54	
	11	Prety podl d 6	4.07			9.94
	27	Prety poprz d 6	1.56			9.35
	4	Kratownica KT810	4.07			19.65
	1	Kratown scinana KT807	1.58			1.80
		Siatka strzem R188	0.80x 5.61		4.49	9.69
		Mostek cieplny		5.51m		
		Kapinos		5.69m		

87	Strop filigr	5.5 cm			
1	3.650 x 1.600 m			5.84	
11	Prety podl d 6	3.63			8.86
25	Prety poprz d 6	1.56			8.66
4	Kratownica KT810	3.63			17.53
2	Kratown scinana KT807	1.58			3.60
	Siatka strzem R188	0.80x 3.61		2.89	6.24
	Mostek cieplny		3.65m		
	Kapinos		6.85m		
	Razem		719.34		4960.90

WYMIAR ARKUSZA:

Obliczenia wg Wymiar b

POS.: 1-87;

Poz	Oznaczenie	Ilosc
1	Großformatplatten	719.34 m2
2	Paßplatten 100%	719.34 m2
3	Aufz. Betongüte C30/37	719.34 m2
4	MehrBeton 0.5 cm	67.96 m2
5	Otwor maly 0.50 m2	30 Stk
6	Gitterträger	1652.93 kg
7	Zulageträger	275.74 kg
8	Längseisen	2165.70 kg
9	Quereisen	622.97 kg
10	Zulageeisen	154.81 kg
11	Bügelmatten	88.75 kg
12	Kapinos	71.28 m
13	Mostek cieplny	50.67 m