

# L I S T A P R O D U K C Y J N A    Strop filigr

Poz		Szt	mb	6mm	8mm	10mm	12mm	14mm	16mm	20mm
1	Liczba plyt : 1									
	Liczba plyt : 1									
	Kratownica KT814	3	6.67							
	Pr. podl	4			5.90					
	Pr. podl BF04 /BF04	4			6.93					
	Pr. pop	23		1.23						
2	Liczba plyt : 1									
	Liczba plyt : 1									
	Kratownica KT814	4	3.68							
	Pr. podl	8		2.90						
	Pr. podl BF04 /BF04	9			3.93					
	Pr. pop	13		2.44						
3	Liczba plyt : 1									
	Liczba plyt : 1									
	Kratownica KT814	4	3.68							
	Pr. podl	8		2.90						
	Pr. podl BF04 /BF04	9			3.93					
	Pr. pop	13		2.44						
4	Liczba plyt : 1									
	Liczba plyt : 1									
	Kratownica KT814	4	3.68							
	Pr. podl	8		2.90						
	Pr. podl BF04 /BF04	9			3.93					
	Pr. pop	13		2.44						
5	Liczba plyt : 1									
	Liczba plyt : 1									
	Kratownica KT814	4	3.68							
	Pr. podl	1		0.63						
	Pr. podl BF04 /-	1			1.15					
	Pr. podl	1		2.08						
	Pr. podl BF04 /-	1			2.60					
	Pr. podl	6		2.90						
	Pr. podl BF04 /BF04	7			3.93					
	Pr. pop	13		2.18						
6	Liczba plyt : 1									
	Liczba plyt : 1									
	Kratownica KT814	2	3.98							
	Pr. podl	4		3.20						
	Pr. podl BF04 /BF04	4			4.23					
	Pr. pop	13		1.17						
7	Liczba plyt : 1									
	Liczba plyt : 1									
	Liczba plyt : 1									
	Kratownica KT814	4	3.68							
	Pr. podl	8		2.90						
	Pr. podl BF04 /BF04	9			3.93					
	Pr. pop	13		2.44						

	Kratownica KT814	4	3.98							
	Pr. podł	8		3.20						
	Pr. podł BF04 /BF04	9			4.23					
	Pr. pop	13		2.44						
8	Liczba płyt : 1			Pow. : 9.92 m2	Format 4.00 x 2.48 m					
	Kratownica KT814	4	3.98							
	Pr. podł	8		3.20						
	Pr. podł BF04 /BF04	9			4.23					
	Pr. pop	13		2.44						
9	Liczba płyt : 1			Pow. : 5.54 m2	Format 4.00 x 1.38 m					
	Kratownica KT814	3	3.98							
	Pr. podł	4		3.20						
	Pr. podł BF04 /BF04	5			4.23					
	Pr. pop	13		1.35						
10	Liczba płyt : 1			Pow. : 8.11 m2	Format 6.70 x 1.21 m					
	Kratownica KT814	2	6.68							
	Pr. podł	4			5.90					
	Pr. podł BF04 /BF04	4			6.93					
	Pr. pop	23		1.17						
11	Liczba płyt : 1			Pow. : 16.62 m2	Format 6.70 x 2.48 m					
	Kratownica KT814	4	6.68							
	Pr. podł	8			5.90					
	Pr. podł BF04 /BF04	9			6.93					
	Pr. pop	23		2.44						
12	Liczba płyt : 1			Pow. : 16.35 m2	Format 6.70 x 2.48 m					
	Kratownica KT814	4	6.68							
	Krat. dodatk KT810	4	1.00							
	Krat. dodatk KT814	1	1.00							
	Krat. dodatk KT814	1	2.00							
	Pr. podł	2			1.80					
	Pr. podł	1			1.90					
	Pr. podł BF04 /-	2			2.33					
	Pr. podł BF04 /-	1			2.42					
	Pr. podł	1			3.34					
	Pr. podł	2			3.79					
	Pr. podł BF04 /-	1			3.87					
	Pr. podł BF04 /-	2			4.32					
	Pr. podł	5			5.90					
	Pr. podł BF04 /BF04	6			6.93					
	Pr. pop	2		1.01						
	Pr. pop	2		1.18						
	Pr. pop	1		1.90						
	Pr. pop	20		2.44						
	D-prety	8			2.44					

	D-prety	6			3.00					
13	Liczba plyt : 1			Pow. : 9.27 m2	Format 6.70 x 1.38 m					
	Kratownica KT814	3	6.68							
	Krat. dodatk KT814	1	1.00							
	Pr. podl	4			5.90					
	Pr. podl BF04 /BF04	5			6.93					
	Pr. pop	1		1.31						
	Pr. pop	22		1.35						
	D-prety	2			3.00					
14	Liczba plyt : 1			Pow. : 8.54 m2	Format 4.60 x 1.87 m					
	Kratownica KT814	4	4.58							
	Krat. dodatk KT810	2	1.00							
	Pr. podl	1			1.09					
	Pr. podl BF04 /-	1			1.61					
	Pr. podl	1			2.43					
	Pr. podl BF04 /-	1			2.95					
	Pr. podl	5			3.80					
	Pr. podl BF04 /BF04	5			4.83					
	Pr. pop	1		1.57						
	Pr. pop	14		1.83						
	D-prety	2			1.83					
	D-prety	1			2.00					
15	Liczba plyt : 1			Pow. : 15.13 m2	Format 6.10 x 2.48 m					
	Kratownica KT814	4	6.08							
	Pr. podl	8			5.30					
	Pr. podl BF04 /BF04	9			6.33					
	Pr. pop	21		2.44						
16	Liczba plyt : 1			Pow. : 15.13 m2	Format 6.10 x 2.48 m					
	Kratownica KT814	4	6.08							
	Pr. podl	8			5.30					
	Pr. podl BF04 /BF04	9			6.33					
	Pr. pop	21		2.44						
17	Liczba plyt : 1			Pow. : 15.13 m2	Format 6.10 x 2.48 m					
	Kratownica KT814	4	6.08							
	Pr. podl	8			5.30					
	Pr. podl BF04 /BF04	9			6.33					
	Pr. pop	21		2.44						
18	Liczba plyt : 1			Pow. : 6.19 m2	Format 6.10 x 1.01 m					
	Kratownica KT814	2	6.08							
	Pr. podl	3			5.30					
	Pr. podl BF04 /BF04	4			6.33					
	Pr. pop	21		0.98						

19	Liczba plyt : 1	Pow. : 12.88 m2	Format 5.20 x 2.48 m						
	Kratownica KT814	4	5.17						
	Pr. podl	8		4.40					
	Pr. podl BF04 /BF04	9			5.43				
	Pr. pop	17		2.44					
20	Liczba plyt : 1	Pow. : 12.88 m2	Format 5.20 x 2.48 m						
	Kratownica KT814	4	5.17						
	Pr. podl	8		4.40					
	Pr. podl BF04 /BF04	9			5.43				
	Pr. pop	17		2.44					
21	Liczba plyt : 1	Pow. : 5.72 m2	Format 5.20 x 1.10 m						
	Kratownica KT814	2	5.17						
	Pr. podl	3		4.40					
	Pr. podl BF04 /BF04	4			5.43				
	Pr. pop	17		1.06					
22	Liczba plyt : 1	Pow. : 7.70 m2	Format 3.11 x 2.48 m						
	Kratownica KT814	4	3.08						
	Pr. podl	8		2.31					
	Pr. podl BF04 /BF04	9			3.34				
	Pr. pop	11		2.44					
23	Liczba plyt : 1	Pow. : 7.70 m2	Format 3.11 x 2.48 m						
	Kratownica KT814	4	3.08						
	Pr. podl	8		2.31					
	Pr. podl BF04 /BF04	9			3.34				
	Pr. pop	11		2.44					
24	Liczba plyt : 1	Pow. : 3.37 m2	Format 3.11 x 1.10 m						
	Kratownica KT814	2	3.08						
	Krat. dodatk KT810	1	1.00						
	Pr. podl	3		2.31					
	Pr. podl BF04 /-	1			2.98				
	Pr. podl BF04 /BF04	3			3.34				
	Pr. pop	1		0.84					
	Pr. pop	10		1.06					
25	Liczba plyt : 1	Pow. : 12.88 m2	Format 5.20 x 2.48 m						
	Kratownica KT814	4	5.17						
	Pr. podl	8		4.40					
	Pr. podl BF04 /BF04	9			5.43				
	Pr. pop	17		2.44					
26	Liczba plyt : 1	Pow. : 12.88 m2	Format 5.20 x 2.48 m						

		Kratownica KT814	4	5.17							
		Pr. podł	8		4.40						
		Pr. podł BF04 /BF04	9			5.43					
		Pr. pop	17		2.44						
27	Liczba płyt	:	1		Pow.	:	5.72 m2	Format	5.20 x 1.10 m		
		Kratownica KT814	2	5.17							
		Pr. podł	3		4.40						
		Pr. podł BF04 /BF04	4			5.43					
		Pr. pop	17		1.06						
28	Liczba płyt	:	1		Pow.	:	4.78 m2	Format	3.11 x 1.54 m		
		Kratownica KT814	3	3.08							
		Pr. podł	5		2.31						
		Pr. podł BF04 /BF04	5			3.34					
		Pr. pop	11		1.50						
29	Liczba płyt	:	1		Pow.	:	7.65 m2	Format	3.11 x 2.48 m		
		Kratownica KT814	4	3.08							
		Krat. dodatk KT810	1	0.92							
		Pr. podł	7		2.31						
		Pr. podł	1		2.41						
		Pr. podł BF04 /-	1			2.93					
		Pr. podł BF04 /BF04	8			3.34					
		Pr. pop	1		0.32						
		Pr. pop	1		1.88						
		Pr. pop	10		2.44						
30	Liczba płyt	:	1		Pow.	:	5.64 m2	Format	3.11 x 1.82 m		
		Kratownica KT814	3	3.08							
		Pr. podł	6		2.31						
		Pr. podł BF04 /BF04	6			3.34					
		Pr. pop	11		1.78						
31	Liczba płyt	:	1		Pow.	:	15.13 m2	Format	6.10 x 2.48 m		
		Kratownica KT814	4	6.08							
		Pr. podł	8			5.30					
		Pr. podł BF04 /BF04	9			6.33					
		Pr. pop	21		2.44						
32	Liczba płyt	:	1		Pow.	:	15.13 m2	Format	6.10 x 2.48 m		
		Kratownica KT814	4	6.08							
		Pr. podł	8			5.30					
		Pr. podł BF04 /BF04	9			6.33					
		Pr. pop	21		2.44						
33	Liczba płyt	:	1		Pow.	:	15.13 m2	Format	6.10 x 2.48 m		

	Kratownica KT814	4	6.08						
	Pr. podł	8			5.30				
	Pr. podł BF04 /BF04	9			6.33				
	Pr. pop	21		2.44					
34	Liczba płyt : 1			Pow. : 6.19 m2	Format 6.10 x 1.01 m				
	Kratownica KT814	2	6.08						
	Pr. podł	3		5.30					
	Pr. podł BF04 /BF04	4		6.33					
	Pr. pop	21		0.98					
35	Liczba płyt : 1			Pow. : 8.51 m2	Format 6.70 x 1.27 m				
	Kratownica KT814	3	6.67						
	Pr. podł	4		5.90					
	Pr. podł BF04 /BF04	4		6.93					
	Pr. pop	23		1.23					
36	Liczba płyt : 1			Pow. : 9.14 m2	Format 3.70 x 2.48 m				
	Kratownica KT814	4	3.68						
	Pr. podł	1		0.60					
	Pr. podł BF04 /-	1		1.18					
	Pr. podł	1		2.05					
	Pr. podł BF04 /-	1		2.63					
	Pr. podł	7		2.90					
	Pr. podł BF04 /BF04	8		3.93					
	Pr. pop	13		2.44					
37	Liczba płyt : 1			Pow. : 9.18 m2	Format 3.70 x 2.48 m				
	Kratownica KT814	4	3.68						
	Pr. podł	8		2.90					
	Pr. podł BF04 /BF04	9		3.93					
	Pr. pop	13		2.44					
38	Liczba płyt : 1			Pow. : 4.07 m2	Format 3.70 x 1.10 m				
	Kratownica KT814	2	3.68						
	Pr. podł	3		2.90					
	Pr. podł BF04 /BF04	4		3.93					
	Pr. pop	13		1.06					
39	Liczba płyt : 1			Pow. : 8.48 m2	Format 4.60 x 1.87 m				
	Kratownica KT814	4	4.58						
	Krat. dodatk KT810	2	0.99						
	Pr. podł	1		1.14					
	Pr. podł	1		2.17					
	Pr. podł	5		3.80					
	Pr. podł BF04 /BF04	6		4.83					
	Pr. pop	2		1.57					

	Pr. pop	13		1.83						
	D-prety	2			1.83					
	D-prety BF04 /BF04	1			4.83					
40	Liczba plyt	: 1		Pow.	: 9.92 m2	Format	4.00 x 2.48 m			
	Kratownica KT814	4	3.98							
	Pr. podl	8		3.20						
	Pr. podl BF04 /BF04	9			4.23					
	Pr. pop	13		2.44						
41	Liczba plyt	: 1		Pow.	: 5.94 m2	Format	4.00 x 1.49 m			
	Kratownica KT814	3	3.98							
	Pr. podl	5		3.20						
	Pr. podl BF04 /BF04	5			4.23					
	Pr. pop	13		1.45						
42	Liczba plyt	: 1		Pow.	: 8.43 m2	Format	3.40 x 2.48 m			
	Kratownica KT814	4	3.38							
	Pr. podl	8		2.60						
	Pr. podl BF04 /BF04	9			3.63					
	Pr. pop	11		2.44						
43	Liczba plyt	: 1		Pow.	: 3.98 m2	Format	3.40 x 1.18 m			
	Kratownica KT814	2	3.38							
	Pr. podl BF04 /-	1			0.51					
	Pr. podl	1		2.36						
	Pr. podl	3		2.60						
	Pr. podl BF04 /-	1			2.89					
	Pr. podl BF04 /BF04	3			3.63					
	Pr. pop	1		0.92						
	Pr. pop	10		1.15						
	D-prety	1			2.00					
44	Liczba plyt	: 1		Pow.	: 8.12 m2	Format	3.40 x 2.48 m			
	Kratownica KT814	1	2.75							
	Kratownica KT814	3	3.38							
	Krat. dodatk KT810	1	1.00							
	Krat. dodatk KT814	1	1.00							
	Pr. podl	2		2.35						
	Pr. podl	6		2.60						
	Pr. podl BF04 /-	2			2.87					
	Pr. podl BF04 /BF04	7			3.63					
	Pr. pop	2		1.95						
	Pr. pop	9		2.44						
	D-prety	2				2.00				
	D-prety	1			2.44					
45	Liczba plyt	: 1		Pow.	: 5.05 m2	Format	3.40 x 1.49 m			

	Kratownica KT814	3	3.38							
	Pr. podl	5		2.60						
	Pr. podl BF04 /BF04	5			3.63					
	Pr. pop	11		1.45						

46	Liczba plyt	: 1		Pow.	: 4.71 m2	Format	1.90 x 2.48 m			
	Kratownica KT814	4	1.88							
	Krat. dodatk KT810	2	2.46							
	Pr. podl BF04 /BF04	17		2.13						
	Pr. pop	13		2.44						

47	Liczba plyt	: 1		Pow.	: 4.71 m2	Format	1.90 x 2.48 m			
	Kratownica KT814	4	1.88							
	Krat. dodatk KT810	2	2.46							
	Pr. podl BF04 /BF04	17		2.13						
	Pr. pop	13		2.44						

48	Liczba plyt	: 1		Pow.	: 4.71 m2	Format	1.90 x 2.48 m			
	Kratownica KT814	4	1.88							
	Krat. dodatk KT810	2	2.46							
	Pr. podl BF04 /BF04	17		2.13						
	Pr. pop	13		2.44						

49	Liczba plyt	: 1		Pow.	: 4.71 m2	Format	1.90 x 2.48 m			
	Kratownica KT814	4	1.88							
	Krat. dodatk KT810	2	2.46							
	Pr. podl BF04 /BF04	17		2.13						
	Pr. pop	13		2.44						

50	Liczba plyt	: 1		Pow.	: 4.71 m2	Format	1.90 x 2.48 m			
	Kratownica KT814	4	1.88							
	Krat. dodatk KT810	2	2.46							
	Pr. podl BF04 /BF04	17		2.13						
	Pr. pop	13		2.44						

51	Liczba plyt	: 1		Pow.	: 4.71 m2	Format	1.90 x 2.48 m			
	Kratownica KT814	4	1.88							
	Krat. dodatk KT810	2	2.46							
	Pr. podl BF04 /BF04	17		2.13						
	Pr. pop	13		2.44						

52	Liczba plyt	: 1		Pow.	: 4.71 m2	Format	1.90 x 2.48 m			
	Kratownica KT814	4	1.88							
	Krat. dodatk KT810	2	2.46							
	Pr. podl BF04 /BF04	17		2.13						
	Pr. pop	13		2.44						



53	Liczba plyt : 1	Pow. : 4.71 m2	Format 1.90 x 2.48 m						
	Kratownica KT814	4	1.88						
	Krat. dodatk KT810	2	2.46						
	Pr. podl BF04 /BF04	17		2.13					
	Pr. pop	13		2.44					
54	Liczba plyt : 1	Pow. : 4.71 m2	Format 1.90 x 2.48 m						
	Kratownica KT814	4	1.88						
	Krat. dodatk KT810	2	2.46						
	Pr. podl BF04 /BF04	17		2.13					
	Pr. pop	13		2.44					
55	Liczba plyt : 1	Pow. : 4.71 m2	Format 1.90 x 2.48 m						
	Kratownica KT814	4	1.88						
	Krat. dodatk KT810	2	2.46						
	Pr. podl BF04 /BF04	17		2.13					
	Pr. pop	13		2.44					
56	Liczba plyt : 1	Pow. : 4.71 m2	Format 1.90 x 2.48 m						
	Kratownica KT814	4	1.88						
	Krat. dodatk KT810	2	2.46						
	Pr. podl BF04 /BF04	17		2.13					
	Pr. pop	13		2.44					
57	Liczba plyt : 1	Pow. : 3.49 m2	Format 1.90 x 1.84 m						
	Kratownica KT814	3	1.88						
	Krat. dodatk KT810	2	1.81						
	Pr. podl BF04 /BF04	13		2.13					
	Pr. pop	13		1.80					
58	Liczba plyt : 1	Pow. : 6.66 m2	Format 5.50 x 1.21 m						
	Kratownica KT814	2	5.48						
	Pr. podl	4		4.70					
	Pr. podl BF04 /BF04	4			5.73				
	Pr. pop	19		1.17					
59	Liczba plyt : 1	Pow. : 13.46 m2	Format 5.50 x 2.48 m						
	Kratownica KT814	4	5.48						
	Krat. dodatk KT810	1	1.00						
	Krat. dodatk KT814	1	1.00						
	Pr. podl	1			4.52				
	Pr. podl	7			4.70				
	Pr. podl BF04 /-	1				5.04			
	Pr. podl BF04 /BF04	8				5.73			
	Pr. pop	2		0.32					
	Pr. pop	2		1.77					
	Pr. pop	17		2.44					

	D-prety	4			2.00				
	D-prety	2		2.44					
60	Liczba plyt : 1			Pow. : 13.64 m2	Format 5.50 x 2.48 m				
	Kratownica KT814	4	5.48						
	Pr. podl	8			4.70				
	Pr. podl BF04 /BF04	9				5.73			
	Pr. pop	19		2.44					
61	Liczba plyt : 1			Pow. : 13.64 m2	Format 5.50 x 2.48 m				
	Kratownica KT814	4	5.48						
	Pr. podl	8			4.70				
	Pr. podl BF04 /BF04	9				5.73			
	Pr. pop	19		2.44					
62	Liczba plyt : 1			Pow. : 8.72 m2	Format 5.50 x 1.60 m				
	Kratownica KT814	1	5.24						
	Kratownica KT814	2	5.48						
	Krat. dodatk KT810	1	1.00						
	Krat. dodatk KT814	1	1.00						
	Pr. podl	4			4.70				
	Pr. podl	1			4.84				
	Pr. podl BF04 /-	2				5.37			
	Pr. podl BF04 /BF04	4				5.73			
	Pr. pop	1		1.22					
	Pr. pop	18		1.56					
	D-prety	1			1.56				
	D-prety	2				2.00			
63	Liczba plyt : 1			Pow. : 6.96 m2	Format 4.00 x 1.74 m				
	Kratownica KT814	3	3.98						
	Krat. dodatk KT814	1	1.00						
	Pr. podl	6			3.20				
	Pr. podl BF04 /BF04	6				4.23			
	Pr. pop	13		1.70					
64	Liczba plyt : 1			Pow. : 2.80 m2	Format 1.95 x 1.43 m				
	Kratownica KT814	3	1.93						
	Krat. dodatk KT814	1	1.00						
	Pr. podl BF04 /BF04	9		2.18					
	Pr. pop	13		1.40					
	D-prety BF04 /BF04	2			2.18				
65	Liczba plyt : 1			Pow. : 2.31 m2	Format 1.95 x 1.21 m				
	Kratownica KT814	2	1.93						
	Krat. dodatk KT810	1	1.00						
	Pr. podl BF04 /-	2		1.84					
	Pr. podl BF04 /BF04	7		2.18					

	Pr. pop	1		0.95						
	Pr. pop	12		1.17						
66	Liczba plyt	: 1			Pow.	: 8.68 m2	Format	4.00 x 2.17 m		
	Kratownica KT812	4	3.98							
	Pr. podl	7			3.20					
	Pr. podl BF04 /BF04	7			4.23					
	Pr. pop	13		2.13						
67	Liczba plyt	: 1			Pow.	: 8.68 m2	Format	4.00 x 2.17 m		
	Kratownica KT812	4	3.98							
	Pr. podl	7			3.20					
	Pr. podl BF04 /BF04	7			4.23					
	Pr. pop	13		2.13						
68	Liczba plyt	: 1			Pow.	: 6.57 m2	Format	5.50 x 1.21 m		
	Kratownica KT814	1	5.24							
	Kratownica KT814	1	5.48							
	Krat. dodatk KT810	1	1.00							
	Krat. dodatk KT814	1	1.00							
	Pr. podl	3			4.70					
	Pr. podl	1			4.84					
	Pr. podl BF04 /-	1				5.37				
	Pr. podl BF04 /BF04	3				5.73				
	Pr. pop	1		0.83						
	Pr. pop	18		1.17						
	D-prety	1			1.17					
	D-prety	2					2.00			
69	Liczba plyt	: 1			Pow.	: 13.64 m2	Format	5.50 x 2.48 m		
	Kratownica KT814	4	5.48							
	Pr. podl	8				4.70				
	Pr. podl BF04 /BF04	9					5.73			
	Pr. pop	19		2.44						
70	Liczba plyt	: 1			Pow.	: 13.64 m2	Format	5.50 x 2.48 m		
	Kratownica KT814	4	5.48							
	Pr. podl	8				4.70				
	Pr. podl BF04 /BF04	9					5.73			
	Pr. pop	19		2.44						
71	Liczba plyt	: 1			Pow.	: 13.46 m2	Format	5.50 x 2.48 m		
	Kratownica KT814	1	4.92							
	Kratownica KT814	3	5.48							
	Krat. dodatk KT810	1	1.00							
	Krat. dodatk KT814	2	1.00							
	Pr. podl	1				4.52				
	Pr. podl	7				4.70				

	Pr. podł BF04 /-	1				5.04			
	Pr. podł BF04 /BF04	8				5.73			
	Pr. pop	2		0.71					
	Pr. pop	2		1.38					
	Pr. pop	17		2.44					
	D-prety	4				2.00			
	D-prety	2			2.44				

72	Liczba płyt	:	1	Pow.	:	8.80 m2	Format	5.50 x 1.60 m	
	Kratownica KT814	3	5.48						
	Pr. podł	5			4.70				
	Pr. podł BF04 /BF04	6				5.73			
	Pr. pop	19		1.56					

73	Liczba płyt	:	1	Pow.	:	9.27 m2	Format	6.70 x 1.38 m	
	Kratownica KT814	3	6.68						
	Krat. dodatk KT814	1	1.00						
	Pr. podł	4			5.90				
	Pr. podł BF04 /BF04	5			6.93				
	Pr. pop	1		1.31					
	Pr. pop	22		1.35					
	D-prety	2			3.00				

74	Liczba płyt	:	1	Pow.	:	16.35 m2	Format	6.70 x 2.48 m	
	Kratownica KT814	4	6.68						
	Krat. dodatk KT810	4	1.00						
	Krat. dodatk KT814	1	1.00						
	Krat. dodatk KT814	1	2.00						
	Pr. podł	2				1.80			
	Pr. podł	1				1.90			
	Pr. podł BF04 /-	2				2.33			
	Pr. podł	1				3.34			
	Pr. podł	2				3.79			
	Pr. podł BF04 /-	2				4.32			
	Pr. podł	5				5.90			
	Pr. podł BF04 /BF04	7				6.93			
	Pr. pop	2		1.02					
	Pr. pop	2		1.18					
	Pr. pop	1		1.90					
	Pr. pop	20		2.44					
	D-prety	8			2.44				
	D-prety	6				3.00			

75	Liczba płyt	:	1	Pow.	:	16.62 m2	Format	6.70 x 2.48 m	
	Kratownica KT814	4	6.68						
	Pr. podł	8				5.90			
	Pr. podł BF04 /BF04	9				6.93			
	Pr. pop	23		2.44					

76	Liczba płyt	:	1	Pow.	:	8.11 m2	Format	6.70 x 1.21 m	
----	-------------	---	---	------	---	---------	--------	---------------	--

	Kratownica KT814	2	6.68							
	Pr. podl	4			5.90					
	Pr. podl BF04 /BF04	4			6.93					
	Pr. pop	23		1.17						
77	Liczba plyt : 1	Pow.	: 4.96 m2	Format	3.10 x 1.60 m					
	Kratownica KT810	4	3.08							
	Krat. dodatk KT807	1	1.58							
	Pr. podl	11		3.08						
	Pr. pop	21		1.56						
	Siat strz 0.80x 1.56	R188							2.70 kg	
	Siat strz 0.80x 3.06	R188							5.29 kg	
78	Liczba plyt : 1	Pow.	: 5.84 m2	Format	3.65 x 1.60 m					
	Kratownica KT810	4	3.63							
	Krat. dodatk KT807	2	1.58							
	Pr. podl	11		3.63						
	Pr. pop	25		1.56						
	Siat strz 0.80x 3.61	R188							6.24 kg	
79	Liczba plyt : 1	Pow.	: 5.84 m2	Format	3.65 x 1.60 m					
	Kratownica KT810	4	3.63							
	Krat. dodatk KT807	2	1.58							
	Pr. podl	11		3.63						
	Pr. pop	25		1.56						
	Siat strz 0.80x 3.61	R188							6.24 kg	
80	Liczba plyt : 1	Pow.	: 5.84 m2	Format	3.65 x 1.60 m					
	Kratownica KT810	4	3.63							
	Krat. dodatk KT807	2	1.58							
	Pr. podl	11		3.63						
	Pr. pop	25		1.56						
	Siat strz 0.80x 3.61	R188							6.24 kg	
81	Liczba plyt : 1	Pow.	: 5.84 m2	Format	3.65 x 1.60 m					
	Kratownica KT810	4	3.63							
	Krat. dodatk KT807	2	1.58							
	Pr. podl	11		3.63						
	Pr. pop	25		1.56						
	Siat strz 0.80x 3.61	R188							6.24 kg	
82	Liczba plyt : 1	Pow.	: 4.96 m2	Format	3.10 x 1.60 m					

		Kratownica KT810	4	3.08							
		Pr. podl	11		3.08						
		Pr. pop	21		1.56						
		Siat strz 0.80x 1.56	R188							2.70 kg	
		Siat strz 0.80x 3.06	R188							5.29 kg	
83	Liczba plyt	:	1		Pow.	:	5.84 m2	Format	3.65 x 1.60 m		
		Kratownica KT810	4	3.63							
		Krat. dodatk KT807	2	1.58							
		Pr. podl	11		3.63						
		Pr. pop	25		1.56						
		Siat strz 0.80x 3.61	R188							6.24 kg	
84	Liczba plyt	:	1		Pow.	:	5.84 m2	Format	3.65 x 1.60 m		
		Kratownica KT810	4	3.63							
		Krat. dodatk KT807	2	1.58							
		Pr. podl	11		3.63						
		Pr. pop	25		1.56						
		Siat strz 0.80x 3.61	R188							6.24 kg	
85	Liczba plyt	:	1		Pow.	:	6.54 m2	Format	4.09 x 1.60 m		
		Kratownica KT810	4	4.07							
		Krat. dodatk KT807	1	1.58							
		Pr. podl	11		4.07						
		Pr. pop	27		1.56						
		Siat strz 0.80x 1.56	R188							2.70 kg	
		Siat strz 0.80x 4.05	R188							7.00 kg	
86	Liczba plyt	:	1		Pow.	:	6.54 m2	Format	4.09 x 1.60 m		
		Kratownica KT810	4	4.07							
		Krat. dodatk KT807	1	1.58							
		Pr. podl	11		4.07						
		Pr. pop	27		1.56						
		Siat strz 0.80x 4.05	R188							7.00 kg	
		Siat strz 0.80x 1.56	R188							2.70 kg	
87	Liczba plyt	:	1		Pow.	:	5.84 m2	Format	3.65 x 1.60 m		
		Kratownica KT810	4	3.63							
		Krat. dodatk KT807	2	1.58							
		Pr. podl	11		3.63						
		Pr. pop	25		1.56						
		Siat strz 0.80x 3.61	R188							6.24 kg	

88	Liczba plyt		:	1	Pow.		:	5.84 m2	Format		3.65 x 1.60 m	
<hr/>												
	Kratownica	KT810		4	3.63							
	Krat. dodatk	KT807		2	1.58							
	Pr. podl			11		3.63						
	Pr. pop			25		1.56						
<hr/>												
	Siat strz		0.80x 3.61	R188								6.24 kg
<hr/>												
SUMA:												
	Kratow.	Siatka	d6	d8	d10	d12	d14	d16	d20			
lfm	1428.26		4404.05	1871.89	1231.58	336.04						
kg	1841.73	85.30	977.65	739.42	758.65	298.07						
<hr/>												
Suma ciezaru stali										4700.82		