

ZESTAWIENIE POJEDYNCZYCH PLYT

POZ.	OZNACZENIE	STAL	E-GOT	PLYTA	STAL
Nr Szt	Dlug. x Szerok x Grub.	m		m2 m2	kg
1	1	Strop filigr 3.700x 2.480x 0.050m		9.18	
	9	Prety podl d 8 3.93			13.97
	8	Prety podl d 6 2.90			5.15
	13	Prety poprz d 6 2.44			7.04
	4	Kratownica KT814 3.68			19.33
2	1	Strop filigr 5.200x 2.480x 0.050m		12.15	
	12	Prety podl d10 2.20- 5.43			27.76
	9	Prety podl d10 1.67- 4.40			20.58
	17	Prety poprz d 6 1.69- 2.44			8.49
	4	Kratownica KT814 3.68- 5.18			25.23
	2	Kratown scinana KT810 1.00			2.41
	5	Kratown scinanaKT814 1.00- 2.40			8.40
	2	Kratown scinana KT810 2.46			5.94
	2	Prety dodatki d 8 2.44			1.93
	4	Prety dodatki d12 2.50			8.87
	1	Otwor w plycie	0.14m2		
3	1	Strop filigr 5.200x 2.480x 0.050m		12.90	
	10	Prety podl d10 2.20- 5.43			29.94
	8	Prety podl d10 4.40			21.68
	17	Prety poprz d 6 2.30- 2.44			9.18
	4	Kratownica KT814 5.18			27.21
	1	Kratown scinana KT814 1.00			1.31
	2	Prety dodatki d12 2.50			4.44
4	1	Strop filigr 5.200x 2.215x 0.050m		11.52	
	9	Prety podl d 8 1.13- 5.43			17.06
	8	Prety podl d 8 0.60- 4.40			12.06
	17	Prety poprz d 6 1.96- 2.18			8.18
	4	Kratownica KT814 5.18			27.21
	1	Prety dodatki d12 2.00			1.77
5	1	Strop filigr 4.000x 1.210x 0.050m		4.84	
	4	Prety podl d 8 4.23			6.68
	4	Prety podl d 6 3.20			2.84
	13	Prety poprz d 6 1.17			3.38
	2	Kratownica KT814 3.98			10.45
6	1	Strop filigr 4.000x 2.480x 0.050m		9.92	
	9	Prety podl d 8 4.23			15.04
	8	Prety podl d 6 3.20			5.68
	13	Prety poprz d 6 2.44			7.04
	4	Kratownica KT814 3.98			20.90
7	1	Strop filigr 4.000x 2.480x 0.050m		9.92	
	9	Prety podl d 8 3.30- 4.23			14.67

	8	Prety podl d 6	2.77- 3.20			5.58
	16	Prety poprz d 6	1.06- 2.44			6.86
	4	Kratownica KT814	3.98			20.90
	1	Kratown scinana KT810	1.00			1.21
	4	Prety dodatki d12	2.00			7.10
	3	Prety dodatki d 8	2.44			2.89
	8	1 Strop filigr 4.000x 1.385x 0.050m		5.54		
		5 Prety podl d 8	4.23			8.35
		4 Prety podl d 6	3.20			2.84
		13 Prety poprz d 6	1.35			3.90
		3 Kratownica KT814	3.98			15.68
	9	1 Strop filigr 4.600x 1.870x 0.050m		8.60		
		7 Prety podl d 8	1.61- 4.83			11.35
		7 Prety podl d 8	1.09- 3.80			8.90
		15 Prety poprz d 6	1.57- 1.83			6.04
		4 Kratownica KT814	4.58			24.05
		2 Kratown scinana KT810	1.00			2.41
		3 Prety dodatki d 8	1.83- 2.00			2.24
	10	Strop filigr 5.0 cm				
		1 6.100 x 2.480 m		15.13		
		9 Prety podl d 8	6.33			22.50
		8 Prety podl d 8	5.30			16.75
		21 Prety poprz d 6	2.44			11.38
		4 Kratownica KT814	6.08			31.93
	11	Strop filigr 5.0 cm				
		1 6.100 x 2.480 m		15.13		
		9 Prety podl d10	6.33			35.09
		8 Prety podl d10	5.30			26.12
		21 Prety poprz d 6	2.44			11.38
		4 Kratownica KT814	6.08			31.93
	12	Strop filigr 5.0 cm				
		1 6.100 x 2.480 m		15.13		
		9 Prety podl d10	6.33			35.09
		8 Prety podl d10	5.30			26.12
		21 Prety poprz d 6	2.44			11.38
		4 Kratownica KT814	6.08			31.93
	13	Strop filigr 5.0 cm				
		1 6.100 x 1.015 m		6.19		
		5 Prety podl d 8	2.62- 6.33			9.62
		4 Prety podl d 8	2.10- 5.30			6.11
		21 Prety poprz d 6	0.63- 0.98			4.38
		2 Kratownica KT814	6.08			15.97
		3 Kratown scinana KT810	0.99			3.58
		2 Kratown scinana KT814	2.50- 2.78			6.93
		7 Prety dodatki d 8	0.97- 2.75			4.51
	14	Strop filigr 5.0 cm				
		1 6.100 x 2.480 m		15.13		

	9	Prety podl d 8	6.33		22.50
	8	Prety podl d 8	5.30		16.75
	21	Prety poprz d 6	2.44		11.38
	4	Kratownica KT814	6.08		31.93
15		Strop filigr 5.0 cm			
	1	6.100 x 2.480 m		15.13	
	9	Prety podl d10	6.33		35.09
	8	Prety podl d10	5.30		26.12
	21	Prety poprz d 6	2.44		11.38
	4	Kratownica KT814	6.08		31.93
16		Strop filigr 5.0 cm			
	1	6.100 x 2.480 m		15.13	
	9	Prety podl d10	6.33		35.09
	8	Prety podl d10	5.30		26.12
	21	Prety poprz d 6	2.44		11.38
	4	Kratownica KT814	6.08		31.93
17		Strop filigr 5.0 cm			
	1	6.100 x 1.015 m		6.19	
	5	Prety podl d 8	2.62- 6.33		9.48
	4	Prety podl d 8	2.10- 5.44		6.16
	21	Prety poprz d 6	0.43- 0.98		4.34
	2	Kratownica KT814	5.79- 6.08		15.58
	3	Kratown scinana KT810	0.99		3.58
	3	Kratown scinanaKT814	1.00- 2.78		8.24
	7	Prety dodatki d 8	0.97- 2.75		4.51
18		Strop filigr 5.0 cm			
	1	6.100 x 2.480 m		15.13	
	9	Prety podl d 8	6.33		22.50
	8	Prety podl d 8	5.30		16.75
	21	Prety poprz d 6	2.44		11.38
	4	Kratownica KT814	6.08		31.93
19		Strop filigr 5.0 cm			
	1	6.100 x 2.480 m		15.13	
	9	Prety podl d10	6.33		35.09
	8	Prety podl d10	5.30		26.12
	21	Prety poprz d 6	2.44		11.38
	4	Kratownica KT814	6.08		31.93
20		Strop filigr 5.0 cm			
	1	6.100 x 2.480 m		15.13	
	9	Prety podl d10	6.33		35.09
	8	Prety podl d10	5.30		26.12
	21	Prety poprz d 6	2.44		11.38
	4	Kratownica KT814	6.08		31.93
21		Strop filigr 5.0 cm			
	1	6.100 x 1.015 m		6.19	
	5	Prety podl d 8	2.30- 6.33		9.50
	4	Prety podl d 8	1.77- 5.30		5.98

21	Prety poprz d 6	0.63- 0.98		4.38
2	Kratownica KT814	6.08		15.97
4	Kratown scinana KT810	0.99		4.78
2	Kratown scinanaKT814	2.17- 2.78		6.50
8	Prety dodatki d 8	0.97- 2.75		4.89
22	Strop filigr	5.0 cm		
1	6.100 x 2.480 m		15.13	
9	Prety podl d 8	6.33		22.50
8	Prety podl d 8	5.30		16.75
21	Prety poprz d 6	2.44		11.38
4	Kratownica KT814	6.08		31.93
23	Strop filigr	5.0 cm		
1	6.100 x 2.480 m		15.13	
9	Prety podl d10	6.33		35.09
8	Prety podl d10	5.30		26.12
21	Prety poprz d 6	2.44		11.38
4	Kratownica KT814	6.08		31.93
24	Strop filigr	5.0 cm		
1	6.100 x 2.480 m		15.13	
9	Prety podl d10	6.33		35.09
8	Prety podl d10	5.30		26.12
21	Prety poprz d 6	2.44		11.38
4	Kratownica KT814	6.08		31.93
25	Strop filigr	5.0 cm		
1	6.100 x 1.015 m		6.19	
5	Prety podl d 8	2.62- 6.33		9.62
4	Prety podl d 8	2.10- 5.30		6.11
21	Prety poprz d 6	0.63- 0.98		4.38
2	Kratownica KT814	6.08		15.97
3	Kratown scinana KT810	0.99		3.58
2	Kratown scinanaKT814	2.50- 2.78		6.93
7	Prety dodatki d 8	0.97- 2.75		4.51
26	Strop filigr	5.0 cm		
1	5.200 x 2.215 m		11.52	
9	Prety podl d 8	1.13- 5.43		17.06
8	Prety podl d 8	0.60- 4.40		12.06
17	Prety poprz d 6	1.96- 2.18		8.18
4	Kratownica KT814	5.18		27.21
1	Prety dodatki d12	2.00		1.77
27	Strop filigr	5.0 cm		
1	5.200 x 2.480 m		12.90	
10	Prety podl d10	2.20- 5.43		29.94
8	Prety podl d10	4.40		21.68
17	Prety poprz d 6	2.30- 2.44		9.18
4	Kratownica KT814	5.18		27.21
1	Kratown scinana KT814	1.00		1.31
2	Prety dodatki d12	2.50		4.44

28	Strop filigr	5.0 cm			
1	5.200 x 2.480 m			12.15	
12	Prety podl d10	2.20-	5.43		27.53
9	Prety podl d10	1.67-	4.40		20.58
18	Prety poprz d 6	0.25-	2.44		8.44
4	Kratownica KT814	3.68-	5.18		25.23
3	Kratown scinana KT810		1.00		3.62
6	Kratown scinana KT814	1.00-	2.40		9.72
2	Kratown scinana KT810		2.46		5.94
6	Prety dodatk d12	2.00-	2.50		12.42
3	Prety dodatk d 8		2.44		2.89
1	Otwor w plycie			0.14m2	
29	Strop filigr	5.0 cm			
1	3.700 x 2.480 m			9.18	
9	Prety podl d 8		3.93		13.97
8	Prety podl d 6		2.90		5.15
13	Prety poprz d 6		2.44		7.04
4	Kratownica KT814		3.68		19.33
30	Strop filigr	5.0 cm			
1	4.600 x 1.870 m			8.60	
6	Prety podl d 8		4.83		11.45
7	Prety podl d 8	1.14-	3.80		8.82
15	Prety poprz d 6	1.57-	1.83		5.98
4	Kratownica KT814		4.58		24.05
2	Kratown scinana KT810		0.99		2.39
3	Prety dodatk d 8	1.83-	4.83		3.36
31	Strop filigr	5.0 cm			
1	4.000 x 1.210 m			4.84	
4	Prety podl d 8		4.23		6.68
4	Prety podl d 6		3.20		2.84
13	Prety poprz d 6		1.17		3.38
2	Kratownica KT814		3.98		10.45
32	Strop filigr	5.0 cm			
1	4.000 x 2.480 m			9.92	
9	Prety podl d 8		4.23		15.04
8	Prety podl d 6	2.77-	3.20		5.58
16	Prety poprz d 6	0.89-	2.44		6.85
4	Kratownica KT814		3.98		20.90
1	Kratown scinana KT810		1.00		1.21
1	Kratown scinana KT814		1.00		1.31
4	Prety dodatk d12		2.00		7.10
3	Prety dodatk d 8		2.44		2.89
33	Strop filigr	5.0 cm			
1	4.000 x 2.480 m			9.92	
9	Prety podl d 8	3.59-	4.23		14.79
8	Prety podl d 6		3.20		5.68
15	Prety poprz d 6	0.84-	2.44		6.92
4	Kratownica KT814	3.47-	3.98		20.24
1	Kratown scinana KT810		1.00		1.21

	2	Kratown scinana KT814	1.00			2.63
	4	Prety dodatki d12	2.00			7.10
	3	Prety dodatki d 8	2.44			2.89
34		Strop filigr 5.0 cm				
	1	4.000 x 1.385 m		5.54		
	5	Prety podl d 8	4.23			8.35
	4	Prety podl d 6	3.20			2.84
	13	Prety poprz d 6	1.35			3.90
	3	Kratownica KT814	3.98			15.68
35		Strop filigr 5.0 cm				
	1	1.900 x 2.480 m		4.71		
	17	Prety podl d 6	2.13			8.04
	13	Prety poprz d 6	2.44			7.04
	4	Kratownica KT814	1.88			9.87
	2	Kratown scinana KT810	2.46			5.94
36		Strop filigr 5.0 cm				
	1	1.900 x 2.480 m		4.71		
	17	Prety podl d 6	2.13			8.04
	13	Prety poprz d 6	2.44			7.04
	4	Kratownica KT814	1.88			9.87
	2	Kratown scinana KT810	2.46			5.94
37		Strop filigr 5.0 cm				
	1	1.900 x 2.480 m		4.71		
	17	Prety podl d 6	2.13			8.04
	13	Prety poprz d 6	2.44			7.04
	4	Kratownica KT814	1.88			9.87
	2	Kratown scinana KT810	2.46			5.94
38		Strop filigr 5.0 cm				
	1	1.900 x 2.480 m		4.71		
	17	Prety podl d 6	2.13			8.04
	13	Prety poprz d 6	2.44			7.04
	4	Kratownica KT814	1.88			9.87
	2	Kratown scinana KT810	2.46			5.94
39		Strop filigr 5.0 cm				
	1	1.900 x 2.480 m		4.71		
	17	Prety podl d 6	2.13			8.04
	13	Prety poprz d 6	2.44			7.04
	4	Kratownica KT814	1.88			9.87
	2	Kratown scinana KT810	2.46			5.94
40		Strop filigr 5.0 cm				
	1	1.900 x 2.480 m		4.71		
	17	Prety podl d 6	2.13			8.04
	13	Prety poprz d 6	2.44			7.04
	4	Kratownica KT814	1.88			9.87
	2	Kratown scinana KT810	2.46			5.94
41		Strop filigr 5.0 cm				

	1	1.900 x 2.480 m		4.71	
	17	Prety podl d 6	2.13		8.04
	13	Prety poprz d 6	2.44		7.04
	4	Kratownica KT814	1.88		9.87
	2	Kratown scinana KT810	2.46		5.94
42		Strop filigr 5.0 cm			
	1	1.900 x 2.480 m		4.71	
	17	Prety podl d 6	2.13		8.04
	13	Prety poprz d 6	2.44		7.04
	4	Kratownica KT814	1.88		9.87
	2	Kratown scinana KT810	2.46		5.94
43		Strop filigr 5.0 cm			
	1	1.900 x 2.480 m		4.71	
	17	Prety podl d 6	2.13		8.04
	13	Prety poprz d 6	2.44		7.04
	4	Kratownica KT814	1.88		9.87
	2	Kratown scinana KT810	2.46		5.94
44		Strop filigr 5.0 cm			
	1	1.900 x 2.480 m		4.71	
	17	Prety podl d 6	2.13		8.04
	13	Prety poprz d 6	2.44		7.04
	4	Kratownica KT814	1.88		9.87
	2	Kratown scinana KT810	2.46		5.94
45		Strop filigr 5.0 cm			
	1	1.900 x 2.480 m		4.71	
	17	Prety podl d 6	2.13		8.04
	13	Prety poprz d 6	2.44		7.04
	4	Kratownica KT814	1.88		9.87
	2	Kratown scinana KT810	2.46		5.94
46		Strop filigr 5.0 cm			
	1	1.900 x 1.835 m		3.49	
	13	Prety podl d 6	2.13		6.15
	13	Prety poprz d 6	1.80		5.19
	3	Kratownica KT814	1.88		7.41
	2	Kratown scinana KT810	1.81		4.37
47		Strop filigr 5.0 cm			
	1	6.700 x 1.210 m		8.11	
	4	Prety podl d 8	6.93		10.95
	4	Prety podl d 8	5.90		9.32
	23	Prety poprz d 6	1.17		5.97
	2	Kratownica KT814	6.68		17.54
48		Strop filigr 5.0 cm			
	1	6.700 x 2.480 m		16.62	
	9	Prety podl d10	6.93		38.42
	8	Prety podl d10	5.90		29.08
	23	Prety poprz d 6	2.44		12.46
	4	Kratownica KT814	6.68		35.08

49	Strop filigr	5.0 cm			
1	6.700 x 2.480 m			16.62	
12	Prety podl d10	2.33- 6.93			37.67
11	Prety podl d10	1.80- 5.90			28.29
25	Prety poprz d 6	1.01- 2.44			12.22
4	Kratownica KT814	6.68			35.08
4	Kratown scinana KT810	1.00			4.83
2	Kratown scinana KT814	1.00- 2.00			3.94
8	Prety dodatk d 8	2.44			7.71
6	Prety dodatk d10	3.00			11.09
1	Otwor w plycie		0.13m2		
50	Strop filigr	5.0 cm			
1	6.700 x 1.385 m			9.28	
5	Prety podl d 8	6.93			13.69
4	Prety podl d 8	5.90			9.32
23	Prety poprz d 6	1.31- 1.35			6.88
3	Kratownica KT814	6.68			26.31
1	Kratown scinana KT814	1.00			1.31
2	Prety dodatk d 8	3.00			2.37
51	Strop filigr	5.0 cm			
1	5.500 x 1.210 m			6.66	
4	Prety podl d10	5.73			14.12
4	Prety podl d 8	4.70			7.43
19	Prety poprz d 6	1.17			4.94
2	Kratownica KT814	5.48			14.39
52	Strop filigr	5.0 cm			
1	5.500 x 2.480 m			13.64	
9	Prety podl d12	5.04- 5.73			45.13
8	Prety podl d10	4.52- 4.70			23.05
21	Prety poprz d 6	0.32- 2.44			10.14
4	Kratownica KT814	5.48			28.78
1	Kratown scinana KT810	1.00			1.21
1	Kratown scinana KT814	1.00			1.31
4	Prety dodatk d12	2.00			7.10
2	Prety dodatk d 8	2.44			1.93
53	Strop filigr	5.0 cm			
1	5.500 x 2.480 m			13.64	
9	Prety podl d12	5.73			45.74
8	Prety podl d10	4.70			23.16
19	Prety poprz d 6	2.44			10.29
4	Kratownica KT814	5.48			28.78
54	Strop filigr	5.0 cm			
1	5.500 x 2.480 m			13.64	
9	Prety podl d12	5.73			45.74
8	Prety podl d10	4.70			23.16
19	Prety poprz d 6	2.44			10.29
4	Kratownica KT814	5.48			28.78

55	Strop filigr	5.0 cm			
1	5.500 x 1.600 m		8.80		
6	Prety podl d10	5.37- 5.73			20.74
5	Prety podl d 8	4.70- 4.84			9.34
19	Prety poprz d 6	1.22- 1.56			6.50
3	Kratownica KT814	5.24- 5.48			21.27
1	Kratown scinana KT810	1.00			1.21
1	Kratown scinana KT814	1.00			1.31
1	Prety dodatk d 8	1.56			0.62
2	Prety dodatk d12	2.00			3.55
56	Strop filigr	5.0 cm			
1	4.000 x 1.740 m		6.96		
6	Prety podl d10	4.23			15.63
6	Prety podl d 8	3.20			7.58
13	Prety poprz d 6	1.70			4.91
3	Kratownica KT814	3.98			15.68
1	Kratown scinana KT814	1.00			1.31
57	Strop filigr	5.0 cm			
1	1.950 x 1.435 m		2.80		
9	Prety podl d 6	2.18			4.36
13	Prety poprz d 6	1.40			4.04
3	Kratownica KT814	1.93			7.60
1	Kratown scinana KT814	1.00			1.31
2	Prety dodatk d 8	2.18			1.72
58	Strop filigr	5.0 cm			
1	1.950 x 1.210 m		2.36		
9	Prety podl d 6	1.84- 2.18			4.21
13	Prety poprz d 6	0.95- 1.17			3.33
2	Kratownica KT814	1.93			5.07
1	Kratown scinana KT810	1.00			1.21
59	Strop filigr	5.0 cm			
1	5.500 x 1.210 m		6.66		
4	Prety podl d10	5.37- 5.73			13.90
4	Prety podl d 8	4.70- 4.84			7.48
19	Prety poprz d 6	0.83- 1.17			4.86
2	Kratownica KT814	5.24- 5.48			14.08
1	Kratown scinana KT810	1.00			1.21
1	Kratown scinana KT814	1.00			1.31
1	Prety dodatk d 8	1.17			0.46
2	Prety dodatk d12	2.00			3.55
60	Strop filigr	5.0 cm			
1	5.500 x 2.480 m		13.64		
9	Prety podl d12	5.73			45.74
8	Prety podl d10	4.70			23.16
19	Prety poprz d 6	2.44			10.29
4	Kratownica KT814	5.48			28.78
61	Strop filigr	5.0 cm			
1	5.500 x 2.480 m		13.64		

	9	Prety podl d12	5.73		45.74
	8	Prety podl d10	4.70		23.16
	19	Prety poprz d 6	2.44		10.29
	4	Kratownica KT814	5.48		28.78
62		Strop filigr 5.0 cm			
	1	5.500 x 2.480 m		13.64	
	9	Prety podl d12	5.04- 5.73		45.13
	8	Prety podl d10	4.52- 4.70		23.05
	21	Prety poprz d 6	0.71- 2.44		10.14
	4	Kratownica KT814	4.92- 5.48		28.05
	1	Kratown scinana KT810	1.00		1.21
	2	Kratown scinana KT814	1.00		2.63
	4	Prety dodatk d12	2.00		7.10
	2	Prety dodatk d 8	2.44		1.93
63		Strop filigr 5.0 cm			
	1	5.500 x 1.600 m		8.80	
	6	Prety podl d10	5.73		21.18
	5	Prety podl d 8	4.70		9.28
	19	Prety poprz d 6	1.56		6.58
	3	Kratownica KT814	5.48		21.59
64		Strop filigr 5.0 cm			
	1	6.700 x 1.385 m		9.28	
	5	Prety podl d 8	6.93		13.69
	4	Prety podl d 8	5.90		9.32
	23	Prety poprz d 6	1.31- 1.35		6.88
	3	Kratownica KT814	6.68		26.31
	1	Kratown scinana KT814	1.00		1.31
	2	Prety dodatk d 8	3.00		2.37
65		Strop filigr 5.0 cm			
	1	6.700 x 2.480 m		16.62	
	11	Prety podl d10	2.33- 6.93		38.07
	11	Prety podl d10	1.80- 5.90		28.29
	25	Prety poprz d 6	1.02- 2.44		12.22
	4	Kratownica KT814	6.68		35.08
	4	Kratown scinana KT810	1.00		4.83
	2	Kratown scinanaKT814	1.00- 2.00		3.94
	8	Prety dodatk d 8	2.44		7.71
	6	Prety dodatk d10	3.00		11.09
	1	Otwor w plycie		0.12m2	
66		Strop filigr 5.0 cm			
	1	6.700 x 2.480 m		16.62	
	9	Prety podl d10	6.93		38.42
	8	Prety podl d10	5.90		29.08
	23	Prety poprz d 6	2.44		12.46
	4	Kratownica KT814	6.68		35.08
67		Strop filigr 5.0 cm			
	1	6.700 x 1.210 m		8.11	
	4	Prety podl d 8	6.93		10.95

	4	Prety podl d 8	5.90			9.32
	23	Prety poprz d 6	1.17			5.97
	2	Kratownica KT814	6.68			17.54
68		Strop filigr 5.5 cm				
	1	3.100 x 1.600 m		4.96		
	11	Prety podl d 6	3.08			7.52
	21	Prety poprz d 6	1.56			7.27
	4	Kratownica KT810	3.08			14.87
	1	Kratown scinana KT807	1.58			1.80
		Siatka strzem R188 0.80x 4.62			3.70	7.98
		Kapinos		4.70m		
		Mostek cieplny		4.34m		
69		Strop filigr 5.5 cm				
	1	3.650 x 1.600 m		5.84		
	11	Prety podl d 6	3.63			8.86
	25	Prety poprz d 6	1.56			8.66
	4	Kratownica KT810	3.63			17.53
	2	Kratown scinana KT807	1.58			3.60
		Siatka strzem R188 0.80x 3.61			2.89	6.24
		Kapinos		6.85m		
		Mostek cieplny		3.65m		
70		Strop filigr 5.5 cm				
	1	3.650 x 1.600 m		5.84		
	11	Prety podl d 6	3.63			8.86
	25	Prety poprz d 6	1.56			8.66
	4	Kratownica KT810	3.63			17.53
	2	Kratown scinana KT807	1.58			3.60
		Siatka strzem R188 0.80x 3.61			2.89	6.24
		Mostek cieplny		3.65m		
		Kapinos		6.85m		
71		Strop filigr 5.5 cm				
	1	3.650 x 1.600 m		5.84		
	11	Prety podl d 6	3.63			8.86
	25	Prety poprz d 6	1.56			8.66
	4	Kratownica KT810	3.63			17.53
	2	Kratown scinana KT807	1.58			3.60
		Siatka strzem R188 0.80x 3.61			2.89	6.24
		Mostek cieplny		3.65m		
		Kapinos		6.85m		
72		Strop filigr 5.5 cm				
	1	3.650 x 1.600 m		5.84		
	11	Prety podl d 6	3.63			8.86
	25	Prety poprz d 6	1.56			8.66
	4	Kratownica KT810	3.63			17.53
	2	Kratown scinana KT807	1.58			3.60
		Siatka strzem R188 0.80x 3.61			2.89	6.24
		Mostek cieplny		3.65m		
		Kapinos		6.85m		

73	1	Strop filigr	5.5 cm				
		3.100 x 1.600 m			4.96		
	11	Prety podl d 6	3.08				7.52
	21	Prety poprz d 6	1.56				7.27
	4	Kratownica KT810	3.08				14.87
		Siatka strzem R188	0.80x 4.62		3.70		7.98
		Mostek cieplny		4.34m			
		Kapinos		4.70m			
74	1	Strop filigr	5.5 cm				
		3.650 x 1.600 m			5.84		
	11	Prety podl d 6	3.63				8.86
	25	Prety poprz d 6	1.56				8.66
	4	Kratownica KT810	3.63				17.53
	2	Kratown scinana KT807	1.58				3.60
		Siatka strzem R188	0.80x 3.61		2.89		6.24
		Mostek cieplny		3.65m			
		Kapinos		6.85m			
75	1	Strop filigr	5.5 cm				
		3.650 x 1.600 m			5.84		
	11	Prety podl d 6	3.63				8.86
	25	Prety poprz d 6	1.56				8.66
	4	Kratownica KT810	3.63				17.53
	2	Kratown scinana KT807	1.58				3.60
		Siatka strzem R188	0.80x 3.61		2.89		6.24
		Mostek cieplny		3.65m			
		Kapinos		6.85m			
76	1	Strop filigr	5.5 cm				
		4.090 x 1.600 m			6.54		
	11	Prety podl d 6	4.07				9.94
	27	Prety poprz d 6	1.56				9.35
	4	Kratownica KT810	4.07				19.65
	1	Kratown scinana KT807	1.58				1.80
		Siatka strzem R188	0.80x 5.61		4.49		9.69
		Kapinos		5.69m			
		Mostek cieplny		5.51m			
77	1	Strop filigr	5.5 cm				
		3.100 x 1.600 m			4.96		
	11	Prety podl d 6	3.08				7.52
	21	Prety poprz d 6	1.56				7.27
	4	Kratownica KT810	3.08				14.87
	1	Kratown scinana KT807	1.58				1.80
		Siatka strzem R188	0.80x 4.62		3.70		7.98
		Mostek cieplny		4.52m			
		Kapinos		4.70m			
78	1	Strop filigr	5.5 cm				
		3.100 x 1.600 m			4.96		
	11	Prety podl d 6	3.08				7.52
	21	Prety poprz d 6	1.56				7.27
	4	Kratownica KT810	3.08				14.87

	1	Kratown scinana KT807	1.58			1.80
		Siatka strzem R188	0.80x 4.62		3.70	7.98
		Mostek cieplny		4.52m		
		Kapinos		4.70m		
79		Strop filigr	5.5 cm			
	1	4.090 x 1.600 m			6.54	
	11	Prety podl d 6	4.07			9.94
	27	Prety poprz d 6	1.56			9.35
	4	Kratownica KT810	4.07			19.65
	1	Kratown scinana KT807	1.58			1.80
		Siatka strzem R188	0.80x 5.61		4.49	9.69
		Mostek cieplny		5.51m		
		Kapinos		5.69m		
80		Strop filigr	5.5 cm			
	1	3.650 x 1.600 m			5.84	
	11	Prety podl d 6	3.63			8.86
	25	Prety poprz d 6	1.56			8.66
	4	Kratownica KT810	3.63			17.53
	2	Kratown scinana KT807	1.58			3.60
		Siatka strzem R188	0.80x 3.61		2.89	6.24
		Mostek cieplny		3.65m		
		Kapinos		6.85m		
81		Strop filigr	5.5 cm			
	1	3.650 x 1.600 m			5.84	
	11	Prety podl d 6	3.63			8.86
	25	Prety poprz d 6	1.56			8.66
	4	Kratownica KT810	3.63			17.53
	2	Kratown scinana KT807	1.58			3.60
		Siatka strzem R188	0.80x 3.61		2.89	6.24
		Mostek cieplny		3.65m		
		Kapinos		6.85m		
		Razem			736.54	5115.97

WYMIAR ARKUSZA:

Obliczenia wg Wymiar b

POS.: 1-81;

Poz	Oznaczenie	Ilosc
1	Großformatplatten	736.54 m2
2	Paßplatten	100% 736.54 m2
3	Aufz. Betongüte C30/37	736.54 m2
4	MehrBeton 0.5 cm	79.64 m2
5	Gitterträger	1682.56 kg
6	Zulageträger	238.04 kg
7	Längseisen	2285.95 kg
8	Quereisen	645.37 kg

9	Zulageeisen	162.82 kg
10	Bügelmatten	101.23 kg
11	Kapinos	84.98 m
12	Mostek cieplny	57.97 m

=====