

## ZESTAWIENIE POJEDYNCZYCH PLYT

POZ.	OZNACZENIE	STAL	E-GOT	PLYTA	STAL
Nr Szt	Dlug. x Szerok x Grub.	m		m2 m2	kg
1	1   Strop filigr 6.700x 1.270x 0.050m			8.51	
	4   Prety podl d 8 6.93				10.95
	4   Prety podl d 8 5.90				9.32
	23   Prety poprz d 6 1.23				6.28
	3   Kratownica KT814 6.67				26.27
2	1   Strop filigr 3.700x 2.480x 0.050m			9.18	
	9   Prety podl d 8 3.93				13.97
	8   Prety podl d 6 2.90				5.15
	13   Prety poprz d 6 2.44				7.04
	4   Kratownica KT814 3.68				19.33
3	1   Strop filigr 3.700x 2.480x 0.050m			9.18	
	9   Prety podl d 8 3.93				13.97
	8   Prety podl d 6 2.90				5.15
	13   Prety poprz d 6 2.44				7.04
	4   Kratownica KT814 3.68				19.33
4	1   Strop filigr 3.700x 2.480x 0.050m			9.18	
	9   Prety podl d 8 3.93				13.97
	8   Prety podl d 6 2.90				5.15
	13   Prety poprz d 6 2.44				7.04
	4   Kratownica KT814 3.68				19.33
5	1   Strop filigr 3.700x 2.215x 0.050m			8.20	
	9   Prety podl d 8 1.15- 3.93				12.35
	8   Prety podl d 6 0.63- 2.90				4.46
	13   Prety poprz d 6 2.18				6.29
	4   Kratownica KT814 3.68				19.33
	Zaokraglenie szalunku		0.61m		
6	1   Strop filigr 4.000x 1.210x 0.050m			4.84	
	4   Prety podl d 8 4.23				6.68
	4   Prety podl d 6 3.20				2.84
	13   Prety poprz d 6 1.17				3.38
	2   Kratownica KT814 3.98				10.45
7	1   Strop filigr 4.000x 2.480x 0.050m			9.92	
	9   Prety podl d 8 4.23				15.04
	8   Prety podl d 6 3.20				5.68
	13   Prety poprz d 6 2.44				7.04
	4   Kratownica KT814 3.98				20.90
8	1   Strop filigr 4.000x 2.480x 0.050m			9.92	
	9   Prety podl d 8 4.23				15.04
	8   Prety podl d 6 3.20				5.68
	13   Prety poprz d 6 2.44				7.04
	4   Kratownica KT814 3.98				20.90

9	1	Strop filigr	4.000x 1.385x 0.050m		5.54	
	5	Prety podl	d 8	4.23		8.35
	4	Prety podl	d 6	3.20		2.84
	13	Prety poprz	d 6	1.35		3.90
	3	Kratownica	KT814	3.98		15.68
10		Strop filigr	5.0 cm			
	1	6.700 x 1.210 m			8.11	
	4	Prety podl	d 8	6.93		10.95
	4	Prety podl	d 8	5.90		9.32
	23	Prety poprz	d 6	1.17		5.97
	2	Kratownica	KT814	6.68		17.54
11		Strop filigr	5.0 cm			
	1	6.700 x 2.480 m			16.62	
	9	Prety podl	d10	6.93		38.42
	8	Prety podl	d10	5.90		29.08
	23	Prety poprz	d 6	2.44		12.46
	4	Kratownica	KT814	6.68		35.08
12		Strop filigr	5.0 cm			
	1	6.700 x 2.480 m			16.62	
	12	Prety podl	d10	2.33- 6.93		37.67
	11	Prety podl	d10	1.80- 5.90		28.29
	25	Prety poprz	d 6	1.01- 2.44		12.22
	4	Kratownica	KT814	6.68		35.08
	4	Kratown scinana	KT810	1.00		4.83
	2	Kratown scinana	KT814	1.00- 2.00		3.94
	8	Prety dodatki	d 8	2.44		7.71
	6	Prety dodatki	d10	3.00		11.09
	1	Otwor w płycie		0.13m2		
13		Strop filigr	5.0 cm			
	1	6.700 x 1.385 m			9.28	
	5	Prety podl	d 8	6.93		13.69
	4	Prety podl	d 8	5.90		9.32
	23	Prety poprz	d 6	1.31- 1.35		6.88
	3	Kratownica	KT814	6.68		26.31
	1	Kratown scinana	KT814	1.00		1.31
	2	Prety dodatki	d 8	3.00		2.37
14		Strop filigr	5.0 cm			
	1	4.600 x 1.870 m			8.60	
	7	Prety podl	d 8	1.61- 4.83		11.35
	7	Prety podl	d 8	1.09- 3.80		8.90
	15	Prety poprz	d 6	1.57- 1.83		6.04
	4	Kratownica	KT814	4.58		24.05
	2	Kratown scinana	KT810	1.00		2.41
	3	Prety dodatki	d 8	1.83- 2.00		2.24
15		Strop filigr	5.0 cm			
	1	6.100 x 2.480 m			15.13	
	9	Prety podl	d 8	6.33		22.50

	8	Prety podl	d 8	5.30			16.75
	21	Prety poprz	d 6	2.44			11.38
	4	Kratownica	KT814	6.08			31.93
16		Strop filigr	5.0 cm				
	1	6.100 x 2.480 m			15.13		
	9	Prety podl	d10	6.33			35.09
	8	Prety podl	d10	5.30			26.12
	21	Prety poprz	d 6	2.44			11.38
	4	Kratownica	KT814	6.08			31.93
17		Strop filigr	5.0 cm				
	1	6.100 x 2.480 m			15.13		
	9	Prety podl	d10	6.33			35.09
	8	Prety podl	d10	5.30			26.12
	21	Prety poprz	d 6	2.44			11.38
	4	Kratownica	KT814	6.08			31.93
18		Strop filigr	5.0 cm				
	1	6.100 x 1.015 m			6.19		
	4	Prety podl	d 8	6.33			10.00
	3	Prety podl	d 8	5.30			6.28
	21	Prety poprz	d 6	0.98			4.57
	2	Kratownica	KT814	6.08			15.97
19		Strop filigr	5.0 cm				
	1	5.195 x 2.480 m			12.88		
	9	Prety podl	d 8	5.43			19.30
	8	Prety podl	d 6	4.40			7.81
	17	Prety poprz	d 6	2.44			9.21
	4	Kratownica	KT814	5.17			27.15
20		Strop filigr	5.0 cm				
	1	5.195 x 2.480 m			12.88		
	9	Prety podl	d 8	5.43			19.30
	8	Prety podl	d 6	4.40			7.81
	17	Prety poprz	d 6	2.44			9.21
	4	Kratownica	KT814	5.17			27.15
21		Strop filigr	5.0 cm				
	1	5.195 x 1.100 m			5.72		
	4	Prety podl	d 8	5.43			8.58
	3	Prety podl	d 6	4.40			2.93
	17	Prety poprz	d 6	1.06			4.00
	2	Kratownica	KT814	5.17			13.58
22		Strop filigr	5.0 cm				
	1	3.105 x 2.480 m			7.70		
	9	Prety podl	d 8	3.34			11.87
	8	Prety podl	d 6	2.31			4.10
	11	Prety poprz	d 6	2.44			5.96
	4	Kratownica	KT814	3.08			16.18
23		Strop filigr	5.0 cm				

	1	3.105 x 2.480 m		7.70	
	9	Prety podl d 8	3.34		11.87
	8	Prety podl d 6	2.31		4.10
	11	Prety poprz d 6	2.44		5.96
	4	Kratownica KT814	3.08		16.18
24		Strop filigr 5.0 cm			
	1	3.105 x 1.100 m		3.42	
	4	Prety podl d 8	2.98- 3.34		5.14
	3	Prety podl d 6	2.31		1.54
	11	Prety poprz d 6	0.84- 1.06		2.54
	2	Kratownica KT814	3.08		8.09
	1	Kratown scinana KT810	1.00		1.21
25		Strop filigr 5.0 cm			
	1	5.195 x 2.480 m		12.88	
	9	Prety podl d 8	5.43		19.30
	8	Prety podl d 6	4.40		7.81
	17	Prety poprz d 6	2.44		9.21
	4	Kratownica KT814	5.17		27.15
26		Strop filigr 5.0 cm			
	1	5.195 x 2.480 m		12.88	
	9	Prety podl d 8	5.43		19.30
	8	Prety podl d 6	4.40		7.81
	17	Prety poprz d 6	2.44		9.21
	4	Kratownica KT814	5.17		27.15
27		Strop filigr 5.0 cm			
	1	5.195 x 1.100 m		5.72	
	4	Prety podl d 8	5.43		8.58
	3	Prety podl d 6	4.40		2.93
	17	Prety poprz d 6	1.06		4.00
	2	Kratownica KT814	5.17		13.58
28		Strop filigr 5.0 cm			
	1	3.105 x 1.540 m		4.78	
	5	Prety podl d 8	3.34		6.60
	5	Prety podl d 6	2.31		2.56
	11	Prety poprz d 6	1.50		3.66
	3	Kratownica KT814	3.08		12.13
29		Strop filigr 5.0 cm			
	1	3.105 x 2.480 m		7.70	
	9	Prety podl d 8	2.93- 3.34		11.71
	8	Prety podl d 6	2.31- 2.41		4.13
	12	Prety poprz d 6	0.32- 2.44		5.91
	4	Kratownica KT814	3.08		16.18
	1	Kratown scinana KT810	0.92		1.11
30		Strop filigr 5.0 cm			
	1	3.105 x 1.815 m		5.64	
	6	Prety podl d 8	3.34		7.92
	6	Prety podl d 6	2.31		3.08

11	Prety poprz d 6	1.78		4.35
3	Kratownica KT814	3.08		12.13
31	Strop filigr 5.0 cm			
1	6.100 x 2.480 m		15.13	
9	Prety podl d 8	6.33		22.50
8	Prety podl d 8	5.30		16.75
21	Prety poprz d 6	2.44		11.38
4	Kratownica KT814	6.08		31.93
32	Strop filigr 5.0 cm			
1	6.100 x 2.480 m		15.13	
9	Prety podl d10	6.33		35.09
8	Prety podl d10	5.30		26.12
21	Prety poprz d 6	2.44		11.38
4	Kratownica KT814	6.08		31.93
33	Strop filigr 5.0 cm			
1	6.100 x 2.480 m		15.13	
9	Prety podl d10	6.33		35.09
8	Prety podl d10	5.30		26.12
21	Prety poprz d 6	2.44		11.38
4	Kratownica KT814	6.08		31.93
34	Strop filigr 5.0 cm			
1	6.100 x 1.015 m		6.19	
4	Prety podl d 8	6.33		10.00
3	Prety podl d 8	5.30		6.28
21	Prety poprz d 6	0.98		4.57
2	Kratownica KT814	6.08		15.97
35	Strop filigr 5.0 cm			
1	6.700 x 1.270 m		8.51	
4	Prety podl d 8	6.93		10.95
4	Prety podl d 8	5.90		9.32
23	Prety poprz d 6	1.23		6.28
3	Kratownica KT814	6.67		26.27
36	Strop filigr 5.0 cm			
1	3.700 x 2.480 m		9.18	
10	Prety podl d 8	1.18- 3.93		13.93
9	Prety podl d 6	0.60- 2.90		5.10
13	Prety poprz d 6	2.44		7.04
4	Kratownica KT814	3.68		19.33
	Zaokraglenie szalunku		0.61m	
37	Strop filigr 5.0 cm			
1	3.700 x 2.480 m		9.18	
9	Prety podl d 8	3.93		13.97
8	Prety podl d 6	2.90		5.15
13	Prety poprz d 6	2.44		7.04
4	Kratownica KT814	3.68		19.33
38	Strop filigr 5.0 cm			

	1	3.700 x 1.100 m		4.07	
	4	Prety podl d 8	3.93		6.21
	3	Prety podl d 6	2.90		1.93
	13	Prety poprz d 6	1.06		3.06
	2	Kratownica KT814	3.68		9.66
39		Strop filigr 5.0 cm			
	1	4.600 x 1.870 m		8.60	
	6	Prety podl d 8	4.83		11.45
	7	Prety podl d 8	1.14- 3.80		8.82
	15	Prety poprz d 6	1.57- 1.83		5.98
	4	Kratownica KT814	4.58		24.05
	2	Kratown scinana KT810	0.99		2.39
	3	Prety dodatk d 8	1.83- 4.83		3.36
40		Strop filigr 5.0 cm			
	1	4.000 x 2.480 m		9.92	
	9	Prety podl d 8	4.23		15.04
	8	Prety podl d 6	3.20		5.68
	13	Prety poprz d 6	2.44		7.04
	4	Kratownica KT814	3.98		20.90
41		Strop filigr 5.0 cm			
	1	4.000 x 1.485 m		5.94	
	5	Prety podl d 8	4.23		8.35
	5	Prety podl d 6	3.20		3.55
	13	Prety poprz d 6	1.45		4.18
	3	Kratownica KT814	3.98		15.68
42		Strop filigr 5.0 cm			
	1	3.400 x 2.480 m		8.43	
	9	Prety podl d 8	3.63		12.90
	8	Prety podl d 6	2.60		4.62
	11	Prety poprz d 6	2.44		5.96
	4	Kratownica KT814	3.38		17.75
43		Strop filigr 5.0 cm			
	1	3.400 x 1.185 m		4.03	
	5	Prety podl d 8	0.51- 3.63		5.64
	4	Prety podl d 6	2.36- 2.60		2.25
	11	Prety poprz d 6	0.92- 1.15		2.75
	2	Kratownica KT814	3.38		8.88
	1	Prety dodatk d 8	2.00		0.79
44		Strop filigr 5.0 cm			
	1	3.400 x 2.480 m		8.43	
	9	Prety podl d 8	2.87- 3.63		12.31
	8	Prety podl d 6	2.35- 2.60		4.50
	11	Prety poprz d 6	1.95- 2.44		5.75
	4	Kratownica KT814	2.75- 3.38		16.92
	1	Kratown scinana KT810	1.00		1.21
	1	Kratown scinana KT814	1.00		1.31
	2	Prety dodatk d12	2.00		3.55
	1	Prety dodatk d 8	2.44		0.96

45	Strop filigr	5.0 cm			
1	3.400 x 1.485 m			5.05	
5	Prety podl d 8	3.63			7.17
5	Prety podl d 6	2.60			2.89
11	Prety poprz d 6	1.45			3.54
3	Kratownica KT814	3.38			13.31
46	Strop filigr	5.0 cm			
1	1.900 x 2.480 m			4.71	
17	Prety podl d 6	2.13			8.04
13	Prety poprz d 6	2.44			7.04
4	Kratownica KT814	1.88			9.87
2	Kratown scinana KT810	2.46			5.94
47	Strop filigr	5.0 cm			
1	1.900 x 2.480 m			4.71	
17	Prety podl d 6	2.13			8.04
13	Prety poprz d 6	2.44			7.04
4	Kratownica KT814	1.88			9.87
2	Kratown scinana KT810	2.46			5.94
48	Strop filigr	5.0 cm			
1	1.900 x 2.480 m			4.71	
17	Prety podl d 6	2.13			8.04
13	Prety poprz d 6	2.44			7.04
4	Kratownica KT814	1.88			9.87
2	Kratown scinana KT810	2.46			5.94
49	Strop filigr	5.0 cm			
1	1.900 x 2.480 m			4.71	
17	Prety podl d 6	2.13			8.04
13	Prety poprz d 6	2.44			7.04
4	Kratownica KT814	1.88			9.87
2	Kratown scinana KT810	2.46			5.94
50	Strop filigr	5.0 cm			
1	1.900 x 2.480 m			4.71	
17	Prety podl d 6	2.13			8.04
13	Prety poprz d 6	2.44			7.04
4	Kratownica KT814	1.88			9.87
2	Kratown scinana KT810	2.46			5.94
51	Strop filigr	5.0 cm			
1	1.900 x 2.480 m			4.71	
17	Prety podl d 6	2.13			8.04
13	Prety poprz d 6	2.44			7.04
4	Kratownica KT814	1.88			9.87
2	Kratown scinana KT810	2.46			5.94
52	Strop filigr	5.0 cm			
1	1.900 x 2.480 m			4.71	
17	Prety podl d 6	2.13			8.04
13	Prety poprz d 6	2.44			7.04

	4	Kratownica KT814	1.88			9.87
	2	Kratown scinana KT810	2.46			5.94
53		Strop filigr 5.0 cm				
	1	1.900 x 2.480 m		4.71		
	17	Prety podl d 6	2.13			8.04
	13	Prety poprz d 6	2.44			7.04
	4	Kratownica KT814	1.88			9.87
	2	Kratown scinana KT810	2.46			5.94
54		Strop filigr 5.0 cm				
	1	1.900 x 2.480 m		4.71		
	17	Prety podl d 6	2.13			8.04
	13	Prety poprz d 6	2.44			7.04
	4	Kratownica KT814	1.88			9.87
	2	Kratown scinana KT810	2.46			5.94
55		Strop filigr 5.0 cm				
	1	1.900 x 2.480 m		4.71		
	17	Prety podl d 6	2.13			8.04
	13	Prety poprz d 6	2.44			7.04
	4	Kratownica KT814	1.88			9.87
	2	Kratown scinana KT810	2.46			5.94
56		Strop filigr 5.0 cm				
	1	1.900 x 2.480 m		4.71		
	17	Prety podl d 6	2.13			8.04
	13	Prety poprz d 6	2.44			7.04
	4	Kratownica KT814	1.88			9.87
	2	Kratown scinana KT810	2.46			5.94
57		Strop filigr 5.0 cm				
	1	1.900 x 1.835 m		3.49		
	13	Prety podl d 6	2.13			6.15
	13	Prety poprz d 6	1.80			5.19
	3	Kratownica KT814	1.88			7.41
	2	Kratown scinana KT810	1.81			4.37
58		Strop filigr 5.0 cm				
	1	5.500 x 1.210 m		6.66		
	4	Prety podl d10	5.73			14.12
	4	Prety podl d 8	4.70			7.43
	19	Prety poprz d 6	1.17			4.94
	2	Kratownica KT814	5.48			14.39
59		Strop filigr 5.0 cm				
	1	5.500 x 2.480 m		13.64		
	9	Prety podl d12	5.04- 5.73			45.13
	8	Prety podl d10	4.52- 4.70			23.05
	21	Prety poprz d 6	0.32- 2.44			10.14
	4	Kratownica KT814	5.48			28.78
	1	Kratown scinana KT810	1.00			1.21
	1	Kratown scinana KT814	1.00			1.31
	4	Prety dodatki d12	2.00			7.10



2	Prety dodatk d 8	2.44		1.93
60	Strop filigr 5.0 cm			
1	5.500 x 2.480 m		13.64	
9	Prety podl d12	5.73		45.74
8	Prety podl d10	4.70		23.16
19	Prety poprz d 6	2.44		10.29
4	Kratownica KT814	5.48		28.78
61	Strop filigr 5.0 cm			
1	5.500 x 2.480 m		13.64	
9	Prety podl d12	5.73		45.74
8	Prety podl d10	4.70		23.16
19	Prety poprz d 6	2.44		10.29
4	Kratownica KT814	5.48		28.78
62	Strop filigr 5.0 cm			
1	5.500 x 1.600 m		8.80	
6	Prety podl d10	5.37- 5.73		20.74
5	Prety podl d 8	4.70- 4.84		9.34
19	Prety poprz d 6	1.22- 1.56		6.50
3	Kratownica KT814	5.24- 5.48		21.27
1	Kratown scinana KT810	1.00		1.21
1	Kratown scinana KT814	1.00		1.31
1	Prety dodatk d 8	1.56		0.62
2	Prety dodatk d12	2.00		3.55
63	Strop filigr 5.0 cm			
1	4.000 x 1.740 m		6.96	
6	Prety podl d10	4.23		15.63
6	Prety podl d 8	3.20		7.58
13	Prety poprz d 6	1.70		4.91
3	Kratownica KT814	3.98		15.68
1	Kratown scinana KT814	1.00		1.31
64	Strop filigr 5.0 cm			
1	1.950 x 1.435 m		2.80	
9	Prety podl d 6	2.18		4.36
13	Prety poprz d 6	1.40		4.04
3	Kratownica KT814	1.93		7.60
1	Kratown scinana KT814	1.00		1.31
2	Prety dodatk d 8	2.18		1.72
65	Strop filigr 5.0 cm			
1	1.950 x 1.210 m		2.36	
9	Prety podl d 6	1.84- 2.18		4.21
13	Prety poprz d 6	0.95- 1.17		3.33
2	Kratownica KT814	1.93		5.07
1	Kratown scinana KT810	1.00		1.21
66	Strop filigr 5.0 cm			
1	4.000 x 2.170 m		8.68	
7	Prety podl d 8	4.23		11.70
7	Prety podl d 8	3.20		8.85

13	Prety poprz d 6	2.13		6.15
4	Kratownica KT812	3.98		20.03
67	Strop filigr 5.0 cm			
1	4.000 x 2.170 m		8.68	
7	Prety podl d 8	4.23		11.70
7	Prety podl d 8	3.20		8.85
13	Prety poprz d 6	2.13		6.15
4	Kratownica KT812	3.98		20.03
68	Strop filigr 5.0 cm			
1	5.500 x 1.210 m		6.66	
4	Prety podl d10	5.37- 5.73		13.90
4	Prety podl d 8	4.70- 4.84		7.48
19	Prety poprz d 6	0.83- 1.17		4.86
2	Kratownica KT814	5.24- 5.48		14.08
1	Kratown scinana KT810	1.00		1.21
1	Kratown scinana KT814	1.00		1.31
1	Prety dodatk d 8	1.17		0.46
2	Prety dodatk d12	2.00		3.55
69	Strop filigr 5.0 cm			
1	5.500 x 2.480 m		13.64	
9	Prety podl d12	5.73		45.74
8	Prety podl d10	4.70		23.16
19	Prety poprz d 6	2.44		10.29
4	Kratownica KT814	5.48		28.78
70	Strop filigr 5.0 cm			
1	5.500 x 2.480 m		13.64	
9	Prety podl d12	5.73		45.74
8	Prety podl d10	4.70		23.16
19	Prety poprz d 6	2.44		10.29
4	Kratownica KT814	5.48		28.78
71	Strop filigr 5.0 cm			
1	5.500 x 2.480 m		13.64	
9	Prety podl d12	5.04- 5.73		45.13
8	Prety podl d10	4.52- 4.70		23.05
21	Prety poprz d 6	0.71- 2.44		10.14
4	Kratownica KT814	4.92- 5.48		28.05
1	Kratown scinana KT810	1.00		1.21
2	Kratown scinana KT814	1.00		2.63
4	Prety dodatk d12	2.00		7.10
2	Prety dodatk d 8	2.44		1.93
72	Strop filigr 5.0 cm			
1	5.500 x 1.600 m		8.80	
6	Prety podl d10	5.73		21.18
5	Prety podl d 8	4.70		9.28
19	Prety poprz d 6	1.56		6.58
3	Kratownica KT814	5.48		21.59
73	Strop filigr 5.0 cm			

	1	6.700 x 1.385 m		9.28	
	5	Prety podl d 8	6.93		13.69
	4	Prety podl d 8	5.90		9.32
	23	Prety poprz d 6	1.31- 1.35		6.88
	3	Kratownica KT814	6.68		26.31
	1	Kratown scinana KT814	1.00		1.31
	2	Prety dodatk d 8	3.00		2.37
74		Strop filigr 5.0 cm			
	1	6.700 x 2.480 m		16.62	
	11	Prety podl d10	2.33- 6.93		38.07
	11	Prety podl d10	1.80- 5.90		28.29
	25	Prety poprz d 6	1.02- 2.44		12.22
	4	Kratownica KT814	6.68		35.08
	4	Kratown scinana KT810	1.00		4.83
	2	Kratown scinanaKT814	1.00- 2.00		3.94
	8	Prety dodatk d 8	2.44		7.71
	6	Prety dodatk d10	3.00		11.09
	1	Otwor w plycie	0.12m2		
75		Strop filigr 5.0 cm			
	1	6.700 x 2.480 m		16.62	
	9	Prety podl d10	6.93		38.42
	8	Prety podl d10	5.90		29.08
	23	Prety poprz d 6	2.44		12.46
	4	Kratownica KT814	6.68		35.08
76		Strop filigr 5.0 cm			
	1	6.700 x 1.210 m		8.11	
	4	Prety podl d 8	6.93		10.95
	4	Prety podl d 8	5.90		9.32
	23	Prety poprz d 6	1.17		5.97
	2	Kratownica KT814	6.68		17.54
77		Strop filigr 5.5 cm			
	1	3.100 x 1.600 m		4.96	
	11	Prety podl d 6	3.08		7.52
	21	Prety poprz d 6	1.56		7.27
	4	Kratownica KT810	3.08		14.87
	1	Kratown scinana KT807	1.58		1.80
		Siatka strzem R188	0.80x 4.62	3.70	7.98
		Kapinos	4.70m		
		Mostek cieplny	4.34m		
78		Strop filigr 5.5 cm			
	1	3.650 x 1.600 m		5.84	
	11	Prety podl d 6	3.63		8.86
	25	Prety poprz d 6	1.56		8.66
	4	Kratownica KT810	3.63		17.53
	2	Kratown scinana KT807	1.58		3.60
		Siatka strzem R188	0.80x 3.61	2.89	6.24
		Kapinos	6.85m		
		Mostek cieplny	3.65m		

79	Strop filigr	5.5 cm			
1	3.650 x 1.600 m		5.84		
11	Prety podl d 6	3.63			8.86
25	Prety poprz d 6	1.56			8.66
4	Kratownica KT810	3.63			17.53
2	Kratown scinana KT807	1.58			3.60
	Siatka strzem R188	0.80x 3.61		2.89	6.24
	Mostek cieplny		3.65m		
	Kapinos		6.85m		
80	Strop filigr	5.5 cm			
1	3.650 x 1.600 m		5.84		
11	Prety podl d 6	3.63			8.86
25	Prety poprz d 6	1.56			8.66
4	Kratownica KT810	3.63			17.53
2	Kratown scinana KT807	1.58			3.60
	Siatka strzem R188	0.80x 3.61		2.89	6.24
	Mostek cieplny		3.65m		
	Kapinos		6.85m		
81	Strop filigr	5.5 cm			
1	3.650 x 1.600 m		5.84		
11	Prety podl d 6	3.63			8.86
25	Prety poprz d 6	1.56			8.66
4	Kratownica KT810	3.63			17.53
2	Kratown scinana KT807	1.58			3.60
	Siatka strzem R188	0.80x 3.61		2.89	6.24
	Mostek cieplny		3.65m		
	Kapinos		6.85m		
82	Strop filigr	5.5 cm			
1	3.100 x 1.600 m		4.96		
11	Prety podl d 6	3.08			7.52
21	Prety poprz d 6	1.56			7.27
4	Kratownica KT810	3.08			14.87
	Siatka strzem R188	0.80x 4.62		3.70	7.98
	Mostek cieplny		4.34m		
	Kapinos		4.70m		
83	Strop filigr	5.5 cm			
1	3.650 x 1.600 m		5.84		
11	Prety podl d 6	3.63			8.86
25	Prety poprz d 6	1.56			8.66
4	Kratownica KT810	3.63			17.53
2	Kratown scinana KT807	1.58			3.60
	Siatka strzem R188	0.80x 3.61		2.89	6.24
	Mostek cieplny		3.65m		
	Kapinos		6.85m		
84	Strop filigr	5.5 cm			
1	3.650 x 1.600 m		5.84		
11	Prety podl d 6	3.63			8.86
25	Prety poprz d 6	1.56			8.66
4	Kratownica KT810	3.63			17.53

	2	Kratown scinana KT807	1.58			3.60
		Siatka strzem R188	0.80x 3.61		2.89	6.24
		Mostek cieplny		3.65m		
		Kapinos		6.85m		
85		Strop filigr	5.5 cm			
	1	4.090 x 1.600 m			6.54	
	11	Prety podl d 6	4.07			9.94
	27	Prety poprz d 6	1.56			9.35
	4	Kratownica KT810	4.07			19.65
	1	Kratown scinana KT807	1.58			1.80
		Siatka strzem R188	0.80x 5.61		4.49	9.69
		Mostek cieplny		5.69m		
		Kapinos		5.51m		
86		Strop filigr	5.5 cm			
	1	4.090 x 1.600 m			6.54	
	11	Prety podl d 6	4.07			9.94
	27	Prety poprz d 6	1.56			9.35
	4	Kratownica KT810	4.07			19.65
	1	Kratown scinana KT807	1.58			1.80
		Siatka strzem R188	0.80x 5.61		4.49	9.69
		Mostek cieplny		5.51m		
		Kapinos		5.69m		
87		Strop filigr	5.5 cm			
	1	3.650 x 1.600 m			5.84	
	11	Prety podl d 6	3.63			8.86
	25	Prety poprz d 6	1.56			8.66
	4	Kratownica KT810	3.63			17.53
	2	Kratown scinana KT807	1.58			3.60
		Siatka strzem R188	0.80x 3.61		2.89	6.24
		Mostek cieplny		3.65m		
		Kapinos		6.85m		
88		Strop filigr	5.5 cm			
	1	3.650 x 1.600 m			5.84	
	11	Prety podl d 6	3.63			8.86
	25	Prety poprz d 6	1.56			8.66
	4	Kratownica KT810	3.63			17.53
	2	Kratown scinana KT807	1.58			3.60
		Siatka strzem R188	0.80x 3.61		2.89	6.24
		Mostek cieplny		3.65m		
		Kapinos		6.85m		
		Razem			735.99	4700.78

WYMIAR ARKUSZA:

Obliczenia wg Wymiar b

POS.: 1-88;

Poz	Oznaczenie	Ilosc
1	Großformatplatten	735.99 m2
2	Paßplatten	100% 735.99 m2
3	Aufz. Betongüte C30/37	735.99 m2
4	MehrBeton 0.5 cm	69.72 m2
5	Runde Abschabung	1.22 m
6	Gitterträger	1692.79 kg
7	Zulageträger	148.94 kg
8	Längseisen	2053.13 kg
9	Quereisen	639.46 kg
10	Zulageeisen	81.20 kg
11	Bügelmatten	85.26 kg
12	Kapinos	75.58 m
13	Mostek cieplny	48.92 m