

Zbr : B - #6 /8/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 9.18 m2  
Obj : 0.46 m3  
As : 2.74 cm2

L: 9 d 8/30  
L: 8 d 6/30  
Q: 13 d 6/30


Podune:  
8 d 6-290  
9 d 8-393 BF04- BF04  
Poprzeczne:  
13 d 6-244




Kra: 4 KT814 -368

BF04



GI 31 62 62 62 31





Zbr : B - #10/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 11.99 m2  
Obj : 0.60 m3  
As : 5.38 cm2

L: 9 d10/30  
L: 8 d10/30  
Q: 17 d 6/30

Podune:  
1 d10-440  
1 d10-167  
1 d10-243  
5 d10-440  
1 d10-290  
3 d10-296 - BF04  
3 d10-220 BF04  
4 d10-543 BF04- BF04  
2 d10-393 BF04- BF04  
Poprzeczne:  
7 d 6-244  
1 d 6-169  
4 d 6-244  
5 d 6-194

Kra: 3 KT814 -518  
Kra: 1 KT814 -368


① 2x 1d8-244  
② 1x 2d12-250/10  
③ 1x 2d12-250/6

④ 1x 1 KT814-240  
⑤ 2x 1 KT810-100  
⑥ 1x 2 KT810-246/20  
⑦ 4x 1 KT814-100

BF04  
12

1 Otwr. 25.0 x 57.0cm  
1 Otwr kraw. 0.02m2

Liczba: 1



L: 9 d10/30  
L: 8 d10/30  
Q: 17 d 6/30

Podune:  
8 d10-440  
1 d10-296 - BF04  
1 d10-220 BF04  
8 d10-543 BF04- BF04  
Poprzeczne:  
7 d 6-244  
1 d 6-230  
9 d 6-244

Kra: 4 KT814 -518

① 1x 2d12-250/10


② 1x 1 KT814-100

BF04

512

1 Otwr kraw. 0.03m<sup>2</sup>

GI 31 53 53 53 31



Zbr : B - #8/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 11.47 m2  
Obj : 0.57 m3  
As : 3.41 cm2

L: 8 d 8/30  
L: 7 d 8/30  
Q: 17 d 6/30

Podune:  
1 d 8- 60  
1 d 8-353  
6 d 8-440  
1 d 8-406 - BF04  
1 d 8-113 BF04  
7 d 8-543 BF04- BF04  
Poprzeczne:  
3 d 6-218  
1 d 6-196  
13 d 6-218

Kra: 4 KT814 -518


① 1x 1d12-200

BF04



1 Otwr kraw. 0.05m2

Liczba: 1



L: 4 d 8/30  
L: 4 d 6/30  
Q: 13 d 6/30


Podune:  
4 d 6-320  
4 d 8-423    BF04- BF04  
Poprzeczne:  
13 d 6-117

Kra: 2 KT814 -398

BF04



GI 31 62 62 62 31



Zbr : B - #6 /8/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 9.92 m2  
Obj : 0.50 m3  
As : 2.74 cm2

L: 9 d 8/30  
L: 8 d 6/30  
Q: 13 d 6/30

Podune:  
8 d 6-320  
9 d 8-423 BF04- BF04  
Poprzeczne:  
13 d 6-244

Kra: 4 KT814 -398

BF04



Zbr : B - #6 /8/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 9.71 m2  
Obj : 0.49 m3  
As : 2.74 cm2

L: 9 d 8/30  
L: 8 d 6/30  
Q: 13 d 6/30

Podune:  
4 d 6-320  
1 d 6-277  
3 d 6-320  
1 d 8-330 BF04  
8 d 8-423 BF04- BF04  
Poprzeczne:  
10 d 6-244  
1 d 6-109  
1 d 6-106  
1 d 6-109  
1 d 6-106  
1 d 6-109  
1 d 6-106


Kra: 4 KT814 -398

① 1x 3d8-244/10  
② 2x 2d12-200/10

③ 1x 1 KT810-100

BF04  


1 Otwr kraw. 0.20m2



GI 31 38<sup>5</sup> 38<sup>5</sup> 31


Zbr : B - #6 /8/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 5.54 m2  
Obj : 0.28 m3  
As : 2.63 cm2

L: 5 d 8/30  
L: 4 d 6/30  
Q: 13 d 6/30

Podune:  
4 d 6-320  
5 d 8-423 BF04- BF04  
Poprzeczne:  
13 d 6-135



Kra: 3 KT814 -398

BF04





Liczba: 1



GI 31 62 62 62 31

Zbr : B - #8/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 15.13 m2  
Obj : 0.76 m3  
As : 3.45 cm2

L: 9 d 8/30  
L: 8 d 8/30  
Q: 21 d 6/30

Podune:  
8 d 8-530  
9 d 8-633 BF04- BF04  
Poprzeczne:  
21 d 6-244

Kra: 4 KT814 -608

BF04  


6.10

1xd8  
2xd8

2xd8  
2xd8

2xd8  
2xd8

2xd8  
2xd8

1xd8  
1xd8



GM

10/BF04

GM

2.48

GI 31 62 62 62 31

Zbr : B - #10/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 15.13 m2  
Obj : 0.76 m3  
As : 5.38 cm2

L: 9 d10/30  
L: 8 d10/30  
Q: 21 d 6/30

Podune:  
8 d10-530  
9 d10-633 BF04- BF04  
Poprzeczne:  
21 d 6-244

Kra: 4 KT814 -608

BF04



6.10



1xd10  
1xd10

2xd10  
2xd10

2xd10  
2xd10

3xd10  
2xd10

1xd10  
1xd10



GM

10/BF04

GM

2.48

GI 31 62 62 62 31


Zbr : B - #10/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 15.13 m2  
Obj : 0.76 m3  
As : 5.38 cm2


L: 9 d10/30  
L: 8 d10/30  
Q: 21 d 6/30

Podune:  
8 d10-530  
9 d10-633 BF04- BF04  
Poprzeczne:  
21 d 6-244

Kra: 4 KT814 -608

BF04





```
Zbr : B - #8/15
Sta : BSt500
Bet : C30/37
c lg: 2.0 cm
d : 5.0 cm
Pow : 5.97 m2
Obj : 0.30 m3
As : 3.47 cm2
```

```
L: 4 d 8/30
L: 3 d 8/30
Q: 21 d 6/30
```

Podune:  
 2 d 8-277  
 1 d 8-210  
 2 d 8-530  
 1 d 8-262 - BF04  
 3 d 8-633 BF04- BF04

Poprzeczne:  
 1 d 6- 63  
 9 d 6- 98  
 2 d 6- 71  
 9 d 6- 98

Kra: 2 KT814 -608

- ① 3x 1d8-97
- ② 1x 2d8-275/10
- ③ 1x 2d8-150/10

④ 1x 1 KT814-278  
⑤ 1x 1 KT814-250  
⑥ 3x 1 KT810-99

BF04



1 Otwr kraw. 0.14m<sup>2</sup>  
1 Otwr kraw. 0.07m<sup>2</sup>

GI 31 62 62 62 31

Zbr : B - #8/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 15.13 m2  
Obj : 0.76 m3  
As : 3.45 cm2

L: 9 d 8/30  
L: 8 d 8/30  
Q: 21 d 6/30

Podune:  
8 d 8-530  
9 d 8-633 BF04- BF04  
Poprzeczne:  
21 d 6-244

Kra: 4 KT814 -608

BF04  


6.10

1xd8  
2xd8

2xd8  
2xd8

2xd8  
2xd8

2xd8  
2xd8

1xd8  
1xd8



GM

10/BF04

GM

2.48

GI 31 62 62 62 31

Zbr : B - #10/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 15.13 m2  
Obj : 0.76 m3  
As : 5.38 cm2

L: 9 d10/30  
L: 8 d10/30  
Q: 21 d 6/30

Podune:  
8 d10-530  
9 d10-633 BF04- BF04  
Poprzeczne:  
21 d 6-244

Kra: 4 KT814 -608

BF04



6.10



1xd10  
1xd10

2xd10  
2xd10

2xd10  
2xd10

3xd10  
2xd10

1xd10  
1xd10



GM

10/BF04

GM

2.48

GI 31 62 62 62 31

Zbr : B - #10/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 15.13 m2  
Obj : 0.76 m3  
As : 5.38 cm2

L: 9 d10/30  
L: 8 d10/30  
Q: 21 d 6/30

Podune:  
8 d10-530  
9 d10-633 BF04- BF04  
Poprzeczne:  
21 d 6-244

Kra: 4 KT814 -608

BF04



6.10



1xd10  
1xd10

2xd10  
2xd10

2xd10  
2xd10

3xd10  
2xd10

1xd10  
1xd10




GM

10/BF04

GM

2.48





Zbr : B - #8/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 5.92 m2  
Obj : 0.30 m3  
As : 3.47 cm2

L: 4 d 8/30  
L: 3 d 8/30  
Q: 21 d 6/30

Podune:  
1 d 8-277  
1 d 8-210  
1 d 8-276  
1 d 8-544  
1 d 8-530  
1 d 8-262 BF04  
1 d 8-597 BF04  
2 d 8-633 BF04- BF04  
Poprzeczne:  
9 d 6- 98  
2 d 6- 71  
9 d 6- 98  
1 d 6- 43

Kra: 1 KT814 -579  
Kra: 1 KT814 -608

① 3x 1d8-97  
② 1x 2d8-275/10  
③ 1x 2d8-150/10

④ 1x 1 KT814-250  
⑤ 1x 1 KT814-278  
⑥ 3x 1 KT810-99  
⑦ 1x 1 KT814-100

BF04



1 Otwr kraw. 0.14m2  
1 Otwr kraw. 0.11m2

GI 31 62 62 62 31

Zbr : B - #8/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 15.13 m2  
Obj : 0.76 m3  
As : 3.45 cm2

L: 9 d 8/30  
L: 8 d 8/30  
Q: 21 d 6/30

Podune:  
8 d 8-530  
9 d 8-633 BF04- BF04  
Poprzeczne:  
21 d 6-244

Kra: 4 KT814 -608

BF04



6.10

1xd8  
2xd8

2xd8  
2xd8

2xd8  
2xd8

2xd8  
2xd8

1xd8  
1xd8



GM

10/BF04

GM

2.48

GI 31 62 62 62 31


Zbr : B - #10/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 15.13 m2  
Obj : 0.76 m3  
As : 5.38 cm2

L: 9 d10/30  
L: 8 d10/30  
Q: 21 d 6/30

Podune:  
8 d10-530  
9 d10-633 BF04- BF04  
Poprzeczne:  
21 d 6-244

Kra: 4 KT814 -608

BF04



GI 31 62 62 62 31


Zbr : B - #10/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 15.13 m2  
Obj : 0.76 m3  
As : 5.38 cm2


L: 9 d10/30  
L: 8 d10/30  
Q: 21 d 6/30

Podune:  
8 d10-530  
9 d10-633 BF04- BF04  
Poprzeczne:  
21 d 6-244

Kra: 4 KT814 -608

BF04





```
Zbr : B - #8/15
Sta : BSt500
Bet : C30/37
c lg: 2.0 cm
d : 5.0 cm
Pow : 5.92 m2
Obj : 0.30 m3
As : 3.47 cm2
```

L: 4 d 8/30  
L: 3 d 8/30  
Q: 21 d 6/30

Podune:  
 2 d 8-277  
 1 d 8-177  
 2 d 8-530  
 1 d 8-230 - BF04  
 3 d 8-633 BF04- BF04

Poprzeczne:  
 1 d 6- 63  
 9 d 6- 98  
 2 d 6- 71  
 9 d 6- 98

Kra: 2 KT814 -608

- ① 4x 1d8-97
- ② 1x 2d8-275/10
- ③ 1x 2d8-150/10

④ 1x 1 KT814-278  
⑤ 1x 1 KT814-217  
⑥ 4x 1 KT810-99

BF04



1	Otwr	kraw.	0.05m2
1	Otwr	kraw.	0.07m2
1	Otwr	kraw.	0.14m2

GI 31 62 62 62 31

Zbr : B - #8/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 15.13 m2  
Obj : 0.76 m3  
As : 3.45 cm2

L: 9 d 8/30  
L: 8 d 8/30  
Q: 21 d 6/30

Podune:  
8 d 8-530  
9 d 8-633 BF04- BF04  
Poprzeczne:  
21 d 6-244

Kra: 4 KT814 -608

BF04  


6.10

1xd8  
2xd8

2xd8  
2xd8

2xd8  
2xd8

2xd8  
2xd8

1xd8  
1xd8



GM

10/BF04

GM

2.48

GI 31 62 62 62 31

Zbr : B - #10/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 15.13 m2  
Obj : 0.76 m3  
As : 5.38 cm2

L: 9 d10/30  
L: 8 d10/30  
Q: 21 d 6/30

Podune:  
8 d10-530  
9 d10-633 BF04- BF04  
Poprzeczne:  
21 d 6-244

Kra: 4 KT814 -608

BF04



6.10



1xd10  
1xd10

2xd10  
2xd10

2xd10  
2xd10

3xd10  
2xd10

1xd10  
1xd10



GM

10/BF04

GM

2.48

GI 31 62 62 62 31


Zbr : B - #10/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 15.13 m2  
Obj : 0.76 m3  
As : 5.38 cm2

L: 9 d10/30  
L: 8 d10/30  
Q: 21 d 6/30


Podune:  
8 d10-530  
9 d10-633 BF04- BF04  
Poprzeczne:  
21 d 6-244

Kra: 4 KT814 -608

BF04







```
Zbr : B - #8/15
Sta : BSt500
Bet : C30/37
c lg: 2.0 cm
d : 5.0 cm
Pow : 5.97 m2
Obj : 0.30 m3
As : 3.47 cm2
```

```
L: 4 d 8/30
L: 3 d 8/30
Q: 21 d 6/30
```

Podune:		
1 d 8-277		
1 d 8-210		
1 d 8-276		
2 d 8-530		
1 d 8-262	BF04	
3 d 8-633	BF04-	BF04
Poprzeczne:		
9 d 6- 98		
2 d 6- 71		
9 d 6- 98		
1 d 6- 63		

Kra: 2 KT814 -608

- ① 3x 1d8-97
- ② 1x 2d8-275/10
- ③ 1x 2d8-150/10

④ 1x 1 KT814-250  
⑤ 1x 1 KT814-278  
⑥ 3x 1 KT810-99

BF04

512

1 Otwr kraw. 0.14m<sup>2</sup>  
1 Otwr kraw. 0.07m<sup>2</sup>

Zbr : B - #6 /8/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 9.18 m2  
Obj : 0.46 m3  
As : 2.74 cm2

L: 9 d 8/30  
L: 8 d 6/30  
Q: 13 d 6/30

Podune:  
8 d 6-290  
9 d 8-393 BF04- BF04  
Poprzeczne:  
13 d 6-244

Kra: 4 KT814 -368

BF04




3.70


GM

GM

10/BF04

2.48





Zbr : B - #10/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 12.86 m2  
Obj : 0.64 m3  
As : 5.38 cm2

L: 9 d10/30  
L: 8 d10/30  
Q: 17 d 6/30

Podune:  
8 d10-440  
1 d10-220 - BF04  
1 d10-296 BF04  
8 d10-543 BF04- BF04  
Poprzeczne:  
9 d 6-244  
1 d 6-230  
7 d 6-244

Kra: 4 KT814 -518


① 1x 2d12-250/10

② 1x 1 KT814-100


BF04



1 Otwr kraw. 0.03m2



Liczba: 1



```
L: 8 d 8/30
L: 7 d 8/30
Q: 17 d 6/30
```

Podune:

1 d	8-353		
1 d	8- 60		
6 d	8-440		
1 d	8-113		- BF04
1 d	8-406	BF04	
7 d	8-543	BF04-	BF04

Poprzeczne:  
13 d 6-218  
1 d 6-196  
3 d 6-218

Kra: 4 KT814 -518



① 1x 1d12-200

BF04



1 Otwr kraw. 0.05m<sup>2</sup>

Liczba: 1



Podune:  
1 d 8-217  
1 d 8-114  
5 d 8-380  
6 d 8-483    BF04- BF04  
Poprzeczne:  
8 d 6-183  
2 d 6-157  
5 d 6-183


Kra: 4 KT814 -458

- ③ 2x 1 KT810-99

BF04



1 Otwr kraw. 0.11m<sup>2</sup>



Opr.: R. Kubiak  
D.: nad L2

PNr .:  
Dat .: 26-05-2023

GI 31 59 31


Zbr : B - #6 /8/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 4.84 m2  
Obj : 0.24 m3  
As : 2.60 cm2

L: 4 d 8/30  
L: 4 d 6/30  
Q: 13 d 6/30

Podune:  
4 d 6-320  
4 d 8-423 BF04- BF04  
Poprzeczne:  
13 d 6-117

Kra: 2 KT814 -398

BF04



Zbr : B - #6 /8/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 9.71 m2  
Obj : 0.49 m3  
As : 2.74 cm2

L: 9 d 8/30  
L: 8 d 6/30  
Q: 13 d 6/30

Podune:  
3 d 6-320  
1 d 6-277  
4 d 6-320  
9 d 8-423 BF04- BF04  
Poprzeczne:  
10 d 6-244  
1 d 6- 89  
1 d 6-126  
1 d 6- 89  
1 d 6-126  
1 d 6- 89  
1 d 6-126


Kra: 4 KT814 -398

① 1x 3d8-244/10  
② 2x 2d12-200/10

③ 1x 1 KT814-100  
④ 1x 1 KT810-100


BF04  


1 Otwr kraw. 0.20m2





1 Otwr kraw. 0.11m<sup>2</sup>



GI 31 38<sup>5</sup> 38<sup>5</sup> 31


Zbr : B - #6 /8/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 5.54 m2  
Obj : 0.28 m3  
As : 2.63 cm2

L: 5 d 8/30  
L: 4 d 6/30  
Q: 13 d 6/30



Podune:  
4 d 6-320  
5 d 8-423 BF04- BF04  
Poprzeczne:  
13 d 6-135

Kra: 3 KT814 -398

BF04



Liczba: 1




Podune:  
4 d 8-170  
4 d 8-273    BF04- BF04  
Poprzeczne:  
9 d 6-117

Kra: 2 KT814 -248

① 1x 2 KT810-119/120

BF04



Zbr : B - #10 \_8  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 6.20 m2  
Obj : 0.31 m3  
As : 4.47 cm2



L: 9 d10/30  
L: 8 d 8/30  
Q: 9 d 6/30

Podune:  
8 d 8-170  
9 d10-273 BF04- BF04  
Poprzeczne:  
9 d 6-244

Kra: 4 KT814 -248

① 1x 2 KT810-246/120

BF04  
—  12



Zbr : B - #10 \_8  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 6.05 m2  
Obj : 0.30 m3  
As : 4.47 cm2

L: 9 d10/30  
L: 8 d 8/30  
Q: 9 d 6/30

Podune:  
2 d 8-180  
6 d 8-170  
2 d10-233 - BF04  
7 d10-273 BF04- BF04  
Poprzeczne:  
1 d 6-190  
8 d 6-244


Kra: 1 KT814 -220  
Kra: 3 KT814 -248

① 1x 1d8-244  
② 2x 1d10-273  
BF04-BF04


③ 1x 1 KT810-100  
④ 1x 1 KT814-100  
⑤ 1x 2 KT810-246/120

BF04  


1 Otwr kraw. 0.14m2



Liczba: 1



Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 4.71 m2  
Obj : 0.24 m3  
As : 1.94 cm2


L: 17 d 6/15  
Q: 13 d 6/15

Podune:  
17 d 6-213 BF04- BF04  
Poprzeczne:  
13 d 6-244

Kra: 4 KT814 -188

① 1x 2 KT810-246/80

BF04



Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 4.71 m2  
Obj : 0.24 m3  
As : 1.94 cm2


L: 17 d 6/15  
Q: 13 d 6/15

Podune:  
17 d 6-213 BF04- BF04  
Poprzeczne:  
13 d 6-244

Kra: 4 KT814 -188

① 1x 2 KT810-246/80

BF04  
— 12





Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 4.71 m2  
Obj : 0.24 m3  
As : 1.94 cm2

L: 17 d 6/15  
Q: 13 d 6/15


Podune:  
17 d 6-213 BF04- BF04  
Poprzeczne:  
13 d 6-244

Kra: 4 KT814 -188

① 1x 2 KT810-246/80

BF04  
— 12

GI 31 62 62 62 31



ZT 1 2.46 1  
GM 2.48

Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 4.71 m2  
Obj : 0.24 m3  
As : 1.94 cm2


L: 17 d 6/15  
Q: 13 d 6/15

Podune:  
17 d 6-213 BF04- BF04  
Poprzeczne:  
13 d 6-244

Kra: 4 KT814 -188

① 1x 2 KT810-246/80

BF04  
— 12



Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 4.71 m2  
Obj : 0.24 m3  
As : 1.94 cm2

L: 17 d 6/15  
Q: 13 d 6/15

Podune:  
17 d 6-213 BF04- BF04  
Poprzeczne:  
13 d 6-244


Kra: 4 KT814 -188

① 1x 2 KT810-246/80

BF04



GI 31 62 62 62 31



Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 4.71 m2  
Obj : 0.24 m3  
As : 1.94 cm2




L: 17 d 6/15  
Q: 13 d 6/15

Podune:  
17 d 6-213 BF04- BF04  
Poprzeczne:  
13 d 6-244


Kra: 4 KT814 -188

① 1x 2 KT810-246/80

BF04



Liczba: 1

5<sup>12</sup>

Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 4.71 m2  
Obj : 0.24 m3  
As : 1.94 cm2




L: 17 d 6/15  
Q: 13 d 6/15

Podune:  
17 d 6-213 BF04- BF04  
Poprzeczne:  
13 d 6-244

Kra: 4 KT814 -188

① 1x 2 KT810-246/80

BF04



Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 4.71 m2  
Obj : 0.24 m3  
As : 1.94 cm2

L: 17 d 6/15  
Q: 13 d 6/15


Podune:  
17 d 6-213 BF04- BF04  
Poprzeczne:  
13 d 6-244

Kra: 4 KT814 -188

① 1x 2 KT810-246/80

BF04  
— 12

GI 31 62 62 62 31



Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 4.71 m2  
Obj : 0.24 m3  
As : 1.94 cm2

L: 17 d 6/15  
Q: 13 d 6/15

Podune:  
17 d 6-213 BF04- BF04  
Poprzeczne:  
13 d 6-244


Kra: 4 KT814 -188

① 1x 2 KT810-246/80

BF04



GI 31 62 62 62 31





Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 4.71 m2  
Obj : 0.24 m3  
As : 1.94 cm2


L: 17 d 6/15  
Q: 13 d 6/15

Podune:  
17 d 6-213 BF04- BF04  
Poprzeczne:  
13 d 6-244

Kra: 4 KT814 -188

① 1x 2 KT810-246/80

BF04  
— 12



Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 3.49 m2  
Obj : 0.17 m3  
As : 2.00 cm2


L: 13 d 6/15  
Q: 13 d 6/15



Podune:  
13 d 6-213 BF04- BF04  
Poprzeczne:  
13 d 6-180

Kra: 3 KT814 -188

① 1x 2 KT810-181/80

BF04





Zbr : B - #8/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 3.45 m2  
Obj : 0.17 m3  
As : 3.27 cm2

L: 5 d 8/30  
L: 4 d 8/30  
Q: 9 d 6/30

Podune:  
4 d 8-170  
5 d 8-273 BF04- BF04  
Poprzeczne:  
1 d 6-131  
8 d 6-135

Kra: 3 KT814 -248

① 2x 1d10-273  
BF04-BF04

② 1x 2 KT810-136/120  
③ 1x 1 KT814-100

BF04



1 Otwr kraw. 0.01m2

Zbr : B - #10 \_8  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 6.05 m2  
Obj : 0.30 m3  
As : 4.47 cm2

L: 9 d10/30  
L: 8 d 8/30  
Q: 9 d 6/30

Podune:  
6 d 8-170  
2 d 8-180  
2 d10-233 - BF04  
7 d10-273 BF04- BF04  
Poprzeczne:  
1 d 6-190  
8 d 6-244


Kra: 3 KT814 -248  
Kra: 1 KT814 -220

① 2x 1d10-273  
BF04-BF04  
② 1x 1d8-244

③ 1x 2 KT810-246/120  
④ 1x 1 KT810-100  
⑤ 1x 1 KT814-100

BF04  


1 Otwr kraw. 0.14m2



Zbr : B - #10 \_8  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 6.20 m2  
Obj : 0.31 m3  
As : 4.47 cm2



L: 9 d10/30  
L: 8 d 8/30  
Q: 9 d 6/30



Podune:  
8 d 8-170  
9 d10-273 BF04- BF04  
Poprzeczne:  
9 d 6-244

Kra: 4 KT814 -248

① 1x 2 KT810-246/120  
② 1x 1 KT814-64

BF04





Zbr : B - #8/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 3.03 m2  
Obj : 0.15 m3  
As : 3.33 cm2

L: 4 d 8/30  
L: 4 d 8/30  
Q: 9 d 6/30

Podune:  
4 d 8-170  
4 d 8-273 BF04- BF04  
Poprzeczne:  
9 d 6-117

Kra: 2 KT814 -248

① 1x 2 KT810-119/120

BF04



GI 31 59 31

10/BF04

4.00

1xd8  
1xd8

2xd8  
2xd8

1xd8  
1xd8



10/BF04

GM 1.21

Zbr : B - #8/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 4.84 m2  
Obj : 0.24 m3  
As : 3.33 cm2

L: 4 d 8/30  
L: 4 d 8/30  
Q: 13 d 6/30


Podune:  
4 d 8-320  
4 d 8-423 BF04- BF04  
Poprzeczne:  
13 d 6-117

Kra: 2 KT814 -398

BF04



GI 31 62 62 62 31



Zbr : B - #10/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 9.92 m2  
Obj : 0.50 m3  
As : 5.38 cm2

L: 9 d10/30  
L: 8 d10/30  
Q: 13 d 6/30

Podune:  
8 d10-320  
9 d10-423 BF04- BF04  
Poprzeczne:  
13 d 6-244


Kra: 4 KT814 -398


BF04





1 Otwr. 61.5 x 21.0cm





Zbr : B - #8/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 5.54 m2  
Obj : 0.28 m3  
As : 3.27 cm2


L: 5 d 8/30  
L: 4 d 8/30  
Q: 13 d 6/30


Podune:  
4 d 8-320  
5 d 8-423 BF04- BF04  
Poprzeczne:  
13 d 6-135


Kra: 3 KT814 -398

BF04





Zbr : B - #10 _8 Sta : BSt500 Bet : C30/37 c lg: 2.0 cm d : 5.0 cm Pow : 6.66 m2 Obj : 0.33 m3 As : 4.26 cm2
L: 4 d10/30 L: 4 d 8/30 Q: 19 d 6/30
Podune: 4 d 8-470 4 d10-573 BF04- BF04 Poprzeczne: 19 d 6-117
Kra: 2 KT814 -548
BF04 



Zbr : B - #10 \_8  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 8.55 m2  
Obj : 0.43 m3  
As : 4.14 cm2



L: 5 d10/30  
L: 5 d 8/30  
Q: 19 d 6/30

Podune:  
5 d 8-470  
5 d10-573 BF04- BF04  
Poprzeczne:  
19 d 6-152

Kra: 4 KT814 -548

BF04  
12

Liczba: 1



Podune:	
7 d10-470	
1 d10-452	
2 d12-504	BF04
7 d12-573	BF04- BF04
Poprzeczne:	
17 d 6-244	
2 d 6-210	

Kra: 3 KT814 -548  
Kra: 1 KT814 -492


① 1x 2d8-244/10  
② 1x 2d12-200/10


③ 1x 1 KT810-100  
④ 1x 1 KT814-548

BF04



1 Otwr kraw. 0.17m<sup>2</sup>





Zbr : B - #10/12  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 13.64 m2  
Obj : 0.68 m3  
As : 6.64 cm2



L: 9 d12/30  
L: 8 d10/30  
Q: 19 d 6/30

Podune:  
8 d10-470  
9 d12-573 BF04- BF04  
Poprzeczne:  
19 d 6-244

Kra: 4 KT814 -548

BF04





Zbr : B - #10 \_8  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 12.57 m2  
Obj : 0.63 m3  
As : 4.26 cm2

L: 8 d10/30  
L: 7 d 8/30  
Q: 19 d 6/30

Podune:  
1 d 8-484  
6 d 8-470  
1 d10-537 BF04  
7 d10-573 BF04- BF04  
Poprzeczne:  
18 d 6-226  
1 d 6-192

Kra: 1 KT814 -524  
Kra: 3 KT814 -548

1 1x 1d8-226  
2 1x 2d12-200/10

3 1x 1 KT810-99  
4 1x 1 KT814-100


BF04

1 Otwr kraw. 0.07m2

Liczba: 1







Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 2.80 m2  
Obj : 0.14 m3  
As : 1.77 cm2

L: 9 d 6/15  
Q: 13 d 6/15

Podune:  
9 d 6-218 BF04- BF04  
Poprzeczne:  
13 d 6-140



Kra: 3 KT814 -193

① 2x 1d8-218  
BF04-BF04

② 1x 1 KT814-100

BF04

12



Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 2.31 m2  
Obj : 0.12 m3  
As : 2.10 cm2

L: 9 d 6/15  
Q: 13 d 6/15

Podune:  
2 d 6-184 BF04  
7 d 6-218 BF04- BF04  
Poprzeczne:  
12 d 6-117  
1 d 6- 95

Kra: 2 KT814 -193

① 1x 1 KT810-100

BF04




1 Otwr kraw. 0.04m2

Rysunek płyty


Poz: 67

Liczba: 1



Zbr : B - #10 _8 Sta : BSt500 Bet : C30/37 c lg: 2.0 cm d : 5.0 cm Pow : 13.56 m2 Obj : 0.68 m3 As : 4.47 cm2
L: 9 d10/30 L: 8 d 8/30 Q: 19 d 6/30
Podune: 7 d 8-470 1 d 8-484 2 d10-537 BF04 7 d10-573 BF04- BF04 Poprzeczne: 18 d 6-244 1 d 6-210
Kra: 3 KT814 -548 Kra: 1 KT814 -524
① 1x 2d12-200/10 ② 1x 1d8-244
③ 1x 1 KT814-100 ④ 1x 1 KT810-100
BF04 — 12
1 Otwr kraw. 0.07m2

GI | 31 | 62 | 62 | 62 | 31 |



Zbr : B - #10/12  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 13.64 m2  
Obj : 0.68 m3  
As : 6.64 cm2

L: 9 d12/30  
L: 8 d10/30  
Q: 19 d 6/30

Podune:  
8 d10-470  
9 d12-573 BF04- BF04  
Poprzeczne:  
19 d 6-244

Kra: 4 KT814 -548



BF04



Rysunek płyty

Poz: 69

Liczba: 1



Zbr : B - #10/12  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 12.46 m2  
Obj : 0.62 m3  
As : 6.32 cm2

L: 8 d12/30  
L: 7 d10/30  
Q: 19 d 6/30

Podune:  
1 d10-452  
6 d10-470  
1 d12-504 BF04  
7 d12-573 BF04- BF04  
Poprzeczne:  
17 d 6-226  
2 d 6-192


Kra: 1 KT814 -492  
Kra: 3 KT814 -548


(1) 1x 2d12-200/10  
(2) 1x 1d8-226


(3) 1x 1 KT810-99  
(4) 1x 1 KT814-548

BF04  
12

1 Otwr kraw. 0.17m2



Zbr : B - #10 _8 Sta : BSt500 Bet : C30/37 c lg: 2.0 cm d : 5.0 cm Pow : 6.66 m2 Obj : 0.33 m3 As : 4.26 cm2
L: 4 d10/30 L: 4 d 8/30 Q: 19 d 6/30
Podune: 4 d 8-470 4 d10-573 BF04- BF04 Poprzeczne: 19 d 6-117
Kra: 3 KT814 -548
BF04 



Zbr : B - #10 \_8  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 8.55 m2  
Obj : 0.43 m3  
As : 4.14 cm2

L: 5 d10/30  
L: 5 d 8/30  
Q: 19 d 6/30

Podune:  
5 d 8-470  
5 d10-573 BF04- BF04  
Poprzeczne:  
19 d 6-152

Kra: 3 KT814 -548

BF04



GI 31 59 31

10/BF04

4.00

1xd8  
1xd8

2xd8  
2xd8

1xd8  
1xd8



10/BF04

GM 1.21

Zbr : B - #8/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 4.84 m2  
Obj : 0.24 m3  
As : 3.33 cm2

L: 4 d 8/30  
L: 4 d 8/30  
Q: 13 d 6/30

Podune:  
4 d 8-320  
4 d 8-423 BF04- BF04  
Poprzeczne:  
13 d 6-117

Kra: 2 KT814 -398

BF04





Zbr : B - #10/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 9.80 m2  
Obj : 0.49 m3  
As : 5.38 cm2

L: 9 d10/30  
L: 8 d10/30  
Q: 13 d 6/30


Podune:  
3 d10-320  
1 d10- 64  
1 d10-190  
4 d10-320  
1 d10-117  
1 d10-242 BF04  
8 d10-423 BF04- BF04  
Poprzeczne:  
8 d 6-244  
1 d 6-100  
1 d 6-120  
1 d 6-100  
1 d 6-120  
3 d 6-244

Kra: 4 KT814 -398

- ① 2x 2d10-300/10
- ② 2x 3d8-244/10
- ③ 1x 1 KT814-200
- ④ 2x 1 KT810-100

BF04

1 Otwr. 61.5 x 20.0cm




Zbr : B - #10/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 9.92 m2  
Obj : 0.50 m3  
As : 5.38 cm2

L: 9 d10/30  
L: 8 d10/30  
Q: 13 d 6/30


Podune:  
8 d10-320  
9 d10-423 BF04- BF04  
Poprzeczne:  
13 d 6-244

Kra: 4 KT814 -398

BF04



GI 31 38<sup>5</sup> 38<sup>5</sup> 31



Zbr : B - #8/15  
Sta : BSt500  
Bet : C30/37  
c lg: 2.0 cm  
d : 5.0 cm  
Pow : 5.54 m2  
Obj : 0.28 m3  
As : 3.27 cm2

L: 5 d 8/30  
L: 4 d 8/30  
Q: 13 d 6/30


Podune:  
4 d 8-320  
5 d 8-423 BF04- BF04  
Poprzeczne:  
13 d 6-135


Kra: 3 KT814 -398

BF04



1	Kapinos	4.70m
1	Mostek cieplny	4.34m





```
Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.5 cm  
d : 5.5 cm  
Pow : 5.84 m2  
Obj : 0.32 m3  
As : 1.95 cm2
```

L: 11 d 6/15  
Q: 25 d 6/15

Podune:  
11 d 6-363  
Poprzeczne:  
25 d 6-156

Kra: 4 KT810 -363

① 2x 1 KT807-158

② 1x B1: R188, 80x361


B 1

---

35

35

1	Kapinos	6.85m	
1	Mostek cieplny	3.65m	



```
Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.5 cm  
d : 5.5 cm  
Pow : 5.84 m2  
Obj : 0.32 m3  
As : 1.95 cm2
```

L: 11 d 6/15  
Q: 25 d 6/15

Podune:  
11 d 6-363  
Poprzeczne:  
25 d 6-156

Kra: 4 KT810 -363

① 2x 1 KT807-158

② 1x B1: R188, 80x361


B 1

---

35

35

1	Mostek cieplny	3.65m
1	Kapinos	6.85m



Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.5 cm  
d : 5.5 cm  
Pow : 5.84 m2  
Obj : 0.32 m3  
As : 1.95 cm2

L: 11 d 6/15  
Q: 25 d 6/15


Podune:  
11 d 6-363  
Poprzeczne:  
25 d 6-156

Kra: 4 KT810 -363


① 2x 1 KT807-158

② 1x B1: R188, 80x361

B1



1 Mostek cieplny 3.65m  
1 Kapinos 6.85m



```
Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.5 cm  
d : 5.5 cm  
Pow : 5.84 m2  
Obj : 0.32 m3  
As : 1.95 cm2
```

L: 11 d 6/15  
Q: 25 d 6/15

Podune:  
11 d 6-363  
Poprzeczne:  
25 d 6-156

Kra: 4 KT810 -363

① 2x 1 KT807-158

② 1x B1: R188, 80x361

B 1

---

35

35

1	Mostek cieplny	3.65m
1	Kapinos	6.85m




Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.5 cm  
d : 5.5 cm  
Pow : 4.96 m2  
Obj : 0.27 m3  
As : 1.95 cm2

L: 11 d 6/15  
Q: 21 d 6/15



Podune:  
11 d 6-308  
Poprzeczne:  
21 d 6-156


Kra: 4 KT810 -308

- ① 1x B1: R188, 80x156
- ② 1x B1: R188, 80x306



1 Mostek cieplny 4.34m  
1 Kapinos 4.70m





Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.5 cm  
d : 5.5 cm  
Pow : 5.84 m2  
Obj : 0.32 m3  
As : 1.95 cm2

L: 11 d 6/15  
Q: 25 d 6/15


Podune:  
11 d 6-363  
Poprzeczne:  
25 d 6-156

Kra: 4 KT810 -363

① 2x 1 KT807-158


② 1x B1: R188, 80x361


B1



1 Mostek cieplny 3.65m  
1 Kapinos 6.85m

Liczba: 1





Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.5 cm  
d : 5.5 cm  
Pow : 4.96 m<sup>2</sup>  
Obj : 0.27 m<sup>3</sup>  
As : 1.95 cm<sup>2</sup>

L: 11 d 6/15  
Q: 21 d 6/15

Podune:  
11 d 6-308  
Poprzeczne:  
21 d 6-156


Kra: 4 KT810 -308

① 1x 1 KT807-158

② 1x B1: R188, 80x306

③ 1x B1: R188, 80x156

B1



1 Mostek cieplny 4.52m  
1 Kapinos 4.70m

Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.5 cm  
d : 5.5 cm  
Pow : 4.96 m2  
Obj : 0.27 m3  
As : 1.95 cm2

L: 11 d 6/15  
Q: 21 d 6/15

Podune:  
11 d 6-308  
Poprzeczne:  
21 d 6-156




Kra: 4 KT810 -308

① 1x 1 KT807-158


② 1x B19: R188, 80x306  
③ 1x B19: R188, 80x156




1 Mostek cieplny 4.52m  
1 Kapinos 4.70m



Liczba: 1





Zbr : b1 6/15x6/  
Sta : BSt500  
Bet : C30/37  
c lg: 2.5 cm  
d : 5.5 cm  
Pow : 5.84 m2  
Obj : 0.32 m3  
As : 1.95 cm2

L: 11 d 6/15  
Q: 25 d 6/15


Podune:  
11 d 6-363  
Poprzeczne:  
25 d 6-156

Kra: 4 KT810 -363

① 2x 1 KT807-158

② 1x B1: R188, 80x361

B1



1 Mostek cieplny 3.65m  
1 Kapinos 6.85m