

ZESTAWIENIE POJEDYNCZYCH PLYT

POZ.	OZNACZENIE	STAL	E-GOT	PLYTA	STAL
Nr Szt	Dlug. x Szerok x Grub.	m		m2 m2	kg
1 1	Strop filigr 3.700x 2.480x 0.050m			9.18	
9	Prety podl d 8	3.93			13.97
8	Prety podl d 6	2.90			5.15
13	Prety poprz d 6	2.44			7.04
4	Kratownica KT812	3.68			18.52
2 1	Strop filigr 5.200x 2.480x 0.050m			12.15	
12	Prety podl d 8	2.20- 5.43			17.80
9	Prety podl d 8	1.67- 4.40			13.20
17	Prety poprz d 6	1.69- 2.44			8.49
4	Kratownica KT812	3.68- 5.18			24.18
2	Kratown scinana KT808	1.00			2.32
5	Kratown scinanaKT812	1.00- 2.40			8.05
2	Kratown scinana KT808	2.46			5.71
2	Prety dodatk d 8	2.44			1.93
4	Prety dodatk d12	2.50			8.87
1	Otwor w plycie		0.14m2		
3 1	Strop filigr 5.200x 2.480x 0.050m			12.90	
10	Prety podl d 8	2.20- 5.43			19.20
8	Prety podl d 8	4.40			13.90
17	Prety poprz d 6	2.30- 2.44			9.18
4	Kratownica KT812	5.18			26.07
1	Kratown scinana KT812	1.00			1.26
2	Prety dodatk d12	2.50			4.44
4 1	Strop filigr 5.200x 2.215x 0.050m			11.52	
9	Prety podl d 8	1.13- 5.43			17.06
8	Prety podl d 8	0.60- 4.40			12.06
17	Prety poprz d 6	1.96- 2.18			8.18
4	Kratownica KT812	5.18			26.07
1	Prety dodatk d12	2.00			1.77
5 1	Strop filigr 7.570x 1.700x 0.050m			12.87	
7	Prety podl d10	1.25- 7.80			28.33
5	Prety podl d 8	6.77			13.37
25	Prety poprz d 6	1.40- 1.66			9.10
1	Kratown scinana KT808	1.00			1.16
5	Kratown scinanaKT812	1.00- 7.55			39.25
3	Prety dodatk d 8	1.66- 7.80			4.39
6 1	Strop filigr 7.570x 2.480x 0.050m			18.77	
9	Prety podl d10	7.80			43.24
8	Prety podl d 8	6.77			21.39
25	Prety poprz d 6	2.44			13.54
5	Kratown scinana KT812	7.55			47.49

7	1	Strop filigr	7.570x 2.480x 0.050m		18.77	
	12	Prety podl	d10 2.62- 7.80			42.73
	11	Prety podl	d 8 2.09- 6.77			21.04
	25	Prety poprz	d 6 1.65- 2.44			13.37
	5	Kratownica	KT812 7.55			47.49
	1	Kratown scinana	KT812 1.00			1.26
	2	Kratown scinana	KT808 2.46			5.71
	2	Prety dodatki	d 8 2.44			1.93
	3	Prety dodatki	d10 3.00			5.54
9	1	Strop filigr	4.600x 1.870x 0.050m		8.60	
	7	Prety podl	d 8 1.61- 4.83			11.35
	7	Prety podl	d 8 1.09- 3.80			8.90
	15	Prety poprz	d 6 1.57- 1.83			6.04
	4	Kratownica	KT812 4.58			23.05
	2	Kratown scinana	KT808 1.00			2.32
	3	Prety dodatki	d 8 1.83- 2.00			2.24
10		Strop filigr	5.0 cm			
	1	6.100 x 2.480 m			15.13	
	9	Prety podl	d 8 6.33			22.50
	8	Prety podl	d 6 5.30			9.41
	21	Prety poprz	d 6 2.44			11.38
	4	Kratownica	KT812 6.08			30.59
11		Strop filigr	5.0 cm			
	1	6.100 x 2.480 m			15.13	
	9	Prety podl	d 8 6.33			22.50
	8	Prety podl	d 8 5.30			16.75
	21	Prety poprz	d 6 2.44			11.38
	4	Kratownica	KT812 6.08			30.59
12		Strop filigr	5.0 cm			
	1	6.100 x 2.480 m			15.13	
	9	Prety podl	d 8 6.33			22.50
	8	Prety podl	d 8 5.30			16.75
	21	Prety poprz	d 6 2.44			11.38
	4	Kratownica	KT812 6.08			30.59
13		Strop filigr	5.0 cm			
	1	6.100 x 1.015 m			6.19	
	5	Prety podl	d 8 2.62- 6.33			9.62
	4	Prety podl	d 6 2.10- 5.30			3.43
	21	Prety poprz	d 6 0.63- 0.98			4.38
	2	Kratownica	KT812 5.84- 6.08			15.00
	3	Kratown scinana	KT808 0.99			3.45
	2	Kratown scinana	KT812 2.50- 2.78			6.65
	7	Prety dodatki	d 8 0.97- 2.75			4.51
14		Strop filigr	5.0 cm			
	1	6.100 x 2.480 m			15.13	
	9	Prety podl	d 8 6.33			22.50
	8	Prety podl	d 6 5.30			9.41

21	Prety poprz d 6	2.44		11.38
4	Kratownica KT812	6.08		30.59
15	Strop filigr 5.0 cm			
1	6.100 x 2.480 m		15.13	
9	Prety podl d 8	6.33		22.50
8	Prety podl d 8	5.30		16.75
21	Prety poprz d 6	2.44		11.38
4	Kratownica KT812	6.08		30.59
16	Strop filigr 5.0 cm			
1	6.100 x 2.480 m		15.13	
9	Prety podl d 8	6.33		22.50
8	Prety podl d 8	5.30		16.75
21	Prety poprz d 6	2.44		11.38
4	Kratownica KT812	6.08		30.59
17	Strop filigr 5.0 cm			
1	6.100 x 1.015 m		6.19	
5	Prety podl d 8	2.62- 6.33		9.48
4	Prety podl d 6	2.10- 5.44		3.47
21	Prety poprz d 6	0.43- 0.98		4.34
2	Kratownica KT812	5.84- 6.08		15.00
3	Kratown scinana KT808	0.99		3.45
1	Kratown scinana KT812	1.00		1.26
1	Kratown scinana KT808	2.50		2.90
1	Kratown scinana KT812	2.78		3.50
7	Prety dodatk d 8	0.97- 2.75		4.51
18	Strop filigr 5.0 cm			
1	6.100 x 2.480 m		15.13	
9	Prety podl d 8	6.33		22.50
8	Prety podl d 6	5.30		9.41
21	Prety poprz d 6	2.44		11.38
4	Kratownica KT812	6.08		30.59
19	Strop filigr 5.0 cm			
1	6.100 x 2.480 m		15.13	
9	Prety podl d 8	6.33		22.50
8	Prety podl d 8	5.30		16.75
21	Prety poprz d 6	2.44		11.38
4	Kratownica KT812	6.08		30.59
20	Strop filigr 5.0 cm			
1	6.100 x 2.480 m		15.13	
9	Prety podl d 8	6.33		22.50
8	Prety podl d 8	5.30		16.75
21	Prety poprz d 6	2.44		11.38
4	Kratownica KT812	6.08		30.59
21	Strop filigr 5.0 cm			
1	6.100 x 1.015 m		6.19	
5	Prety podl d 8	2.30- 6.33		9.50
4	Prety podl d 6	1.77- 5.30		3.35

21	Prety poprz d 6	0.63- 0.98		4.38
2	Kratownica KT812	5.84- 6.08		15.00
4	Kratown scinana KT808	0.99		4.60
2	Kratown scinanaKT812	2.17- 2.78		6.23
8	Prety dodatki d 8	0.97- 2.75		4.89
22	Strop filigr 5.0 cm			
1	6.100 x 2.480 m		15.13	
9	Prety podl d 8	6.33		22.50
8	Prety podl d 6	5.30		9.41
21	Prety poprz d 6	2.44		11.38
4	Kratownica KT812	6.08		30.59
23	Strop filigr 5.0 cm			
1	6.100 x 2.480 m		15.13	
9	Prety podl d 8	6.33		22.50
8	Prety podl d 8	5.30		16.75
21	Prety poprz d 6	2.44		11.38
4	Kratownica KT812	6.08		30.59
24	Strop filigr 5.0 cm			
1	6.100 x 2.480 m		15.13	
9	Prety podl d 8	6.33		22.50
8	Prety podl d 8	5.30		16.75
21	Prety poprz d 6	2.44		11.38
4	Kratownica KT812	6.08		30.59
25	Strop filigr 5.0 cm			
1	6.100 x 1.015 m		6.19	
5	Prety podl d 8	2.62- 6.33		9.62
4	Prety podl d 6	2.10- 5.30		3.43
21	Prety poprz d 6	0.63- 0.98		4.38
2	Kratownica KT812	5.84- 6.08		15.00
3	Kratown scinana KT808	0.99		3.45
2	Kratown scinanaKT812	2.50- 2.78		6.65
7	Prety dodatki d 8	0.97- 2.75		4.51
26	Strop filigr 5.0 cm			
1	5.200 x 2.215 m		11.52	
9	Prety podl d 8	1.13- 5.43		17.06
8	Prety podl d 8	0.60- 4.40		12.06
17	Prety poprz d 6	1.96- 2.18		8.18
4	Kratownica KT812	5.18		26.07
1	Prety dodatki d12	2.00		1.77
27	Strop filigr 5.0 cm			
1	5.200 x 2.480 m		12.90	
10	Prety podl d 8	2.20- 5.43		19.20
8	Prety podl d 8	4.40		13.90
17	Prety poprz d 6	2.30- 2.44		9.18
4	Kratownica KT812	5.18		26.07
1	Kratown scinana KT812	1.00		1.26
2	Prety dodatki d12	2.50		4.44

28	Strop filigr	5.0 cm			
1	5.200 x 2.480 m			12.15	
12	Prety podl d 8	2.20-	5.43		17.66
9	Prety podl d 8	1.67-	4.40		13.20
18	Prety poprz d 6	0.25-	2.44		8.44
4	Kratownica KT812	3.68-	5.18		24.18
3	Kratown scinana KT808		1.00		3.48
6	Kratown scinana KT812	1.00-	2.40		9.31
2	Kratown scinana KT808		2.46		5.71
6	Prety dodatk d12	2.00-	2.50		12.42
3	Prety dodatk d 8		2.44		2.89
1	Otwor w plycie			0.14m2	
29	Strop filigr	5.0 cm			
1	3.700 x 2.480 m			9.18	
9	Prety podl d 8		3.93		13.97
8	Prety podl d 6		2.90		5.15
13	Prety poprz d 6		2.44		7.04
4	Kratownica KT812		3.68		18.52
30	Strop filigr	5.0 cm			
1	4.600 x 1.870 m			8.60	
6	Prety podl d 8		4.83		11.45
7	Prety podl d 8	1.14-	3.80		8.82
15	Prety poprz d 6	1.57-	1.83		5.98
4	Kratownica KT812		4.58		23.05
2	Kratown scinana KT808		0.99		2.30
3	Prety dodatk d 8	1.83-	4.83		3.36
31	Strop filigr	5.0 cm			
1	7.570 x 1.700 m			12.87	
7	Prety podl d10	1.25-	7.80		28.33
5	Prety podl d 8		6.77		13.37
25	Prety poprz d 6	1.40-	1.66		9.10
6	Kratown scinana KT812	1.00-	7.55		40.51
3	Prety dodatk d 8	1.66-	7.80		4.39
32	Strop filigr	5.0 cm			
1	7.570 x 2.480 m			18.77	
9	Prety podl d10		7.80		43.24
8	Prety podl d 8		6.77		21.39
25	Prety poprz d 6		2.44		13.54
5	Kratown scinana KT812		7.55		47.49
33	Strop filigr	5.0 cm			
1	7.570 x 2.480 m			18.77	
14	Prety podl d10	1.77-	7.80		42.39
13	Prety podl d 8	1.76-	6.77		20.81
25	Prety poprz d 6	1.65-	2.44		13.26
5	Kratownica KT812		7.55		47.49
2	Kratown scinana KT808		1.00		2.32
2	Kratown scinana KT812		1.00		2.52
2	Kratown scinana KT808		2.46		5.71
4	Prety dodatk d 8		2.44		3.86

6	Prety dodatk d10	3.00		11.09
35	Strop filigr 5.0 cm			
1	1.900 x 2.480 m		4.71	
17	Prety podl d 6	2.13		8.04
13	Prety poprz d 6	2.44		7.04
4	Kratownica KT812	1.88		9.46
2	Kratown scinana KT808	2.46		5.71
36	Strop filigr 5.0 cm			
1	1.900 x 2.480 m		4.71	
17	Prety podl d 6	2.13		8.04
13	Prety poprz d 6	2.44		7.04
4	Kratownica KT812	1.88		9.46
2	Kratown scinana KT808	2.46		5.71
37	Strop filigr 5.0 cm			
1	1.900 x 2.480 m		4.71	
17	Prety podl d 6	2.13		8.04
13	Prety poprz d 6	2.44		7.04
4	Kratownica KT812	1.88		9.46
2	Kratown scinana KT808	2.46		5.71
38	Strop filigr 5.0 cm			
1	1.900 x 2.480 m		4.71	
17	Prety podl d 6	2.13		8.04
13	Prety poprz d 6	2.44		7.04
4	Kratownica KT812	1.88		9.46
2	Kratown scinana KT808	2.46		5.71
39	Strop filigr 5.0 cm			
1	1.900 x 2.480 m		4.71	
17	Prety podl d 6	2.13		8.04
13	Prety poprz d 6	2.44		7.04
4	Kratownica KT812	1.88		9.46
2	Kratown scinana KT808	2.46		5.71
40	Strop filigr 5.0 cm			
1	1.900 x 2.480 m		4.71	
17	Prety podl d 6	2.13		8.04
13	Prety poprz d 6	2.44		7.04
4	Kratownica KT812	1.88		9.46
2	Kratown scinana KT808	2.46		5.71
41	Strop filigr 5.0 cm			
1	1.900 x 2.480 m		4.71	
17	Prety podl d 6	2.13		8.04
13	Prety poprz d 6	2.44		7.04
4	Kratownica KT812	1.88		9.46
2	Kratown scinana KT808	2.46		5.71
42	Strop filigr 5.0 cm			
1	1.900 x 2.480 m		4.71	
17	Prety podl d 6	2.13		8.04

13	Prety poprz d 6	2.44		7.04
4	Kratownica KT812	1.88		9.46
2	Kratown scinana KT808	2.46		5.71
43	Strop filigr 5.0 cm			
1	1.900 x 2.480 m		4.71	
17	Prety podl d 6	2.13		8.04
13	Prety poprz d 6	2.44		7.04
4	Kratownica KT812	1.88		9.46
2	Kratown scinana KT808	2.46		5.71
44	Strop filigr 5.0 cm			
1	1.900 x 2.480 m		4.71	
17	Prety podl d 6	2.13		8.04
13	Prety poprz d 6	2.44		7.04
4	Kratownica KT812	1.88		9.46
2	Kratown scinana KT808	2.46		5.71
45	Strop filigr 5.0 cm			
1	1.900 x 2.480 m		4.71	
17	Prety podl d 6	2.13		8.04
13	Prety poprz d 6	2.44		7.04
4	Kratownica KT812	1.88		9.46
2	Kratown scinana KT808	2.46		5.71
46	Strop filigr 5.0 cm			
1	1.900 x 1.835 m		3.49	
13	Prety podl d 6	2.13		6.15
13	Prety poprz d 6	1.80		5.19
3	Kratownica KT812	1.88		7.10
2	Kratown scinana KT808	1.81		4.20
47	Strop filigr 5.0 cm			
1	4.005 x 2.480 m		9.93	
9	Prety podl d 8	4.24		15.07
8	Prety podl d 6	3.21		5.70
13	Prety poprz d 6	2.44		7.04
4	Kratownica KT812	3.98		20.03
48	Strop filigr 5.0 cm			
1	4.005 x 2.480 m		9.93	
10	Prety podl d 8 1.45-	4.24		14.93
8	Prety podl d 6	3.21		5.70
13	Prety poprz d 6 2.39-	2.44		7.03
4	Kratownica KT812	3.98		20.03
1	Kratown scinana KT812	1.00		1.26
2	Prety dodatki d12	2.00		3.55
49	Strop filigr 5.0 cm			
1	4.005 x 2.480 m		9.93	
10	Prety podl d 8 1.45-	4.24		14.93
8	Prety podl d 6	3.21		5.70
13	Prety poprz d 6 2.28-	2.44		7.01
4	Kratownica KT812	3.98		20.03

	1	Kratown scinana KT812	1.00			1.26
	2	Prety dodatki d12	2.00			3.55
50		Strop filigr 5.0 cm				
	1	5.500 x 2.480 m		13.12		
	9	Prety podł d 8	4.24- 5.73			19.78
	8	Prety podł d 6	3.21- 4.70			8.01
	19	Prety poprz d 6	2.10- 2.44			9.91
	4	Kratownica KT812	3.98- 5.48			25.69
	2	Kratown scinana KT808	1.00			2.32
	4	Kratown scinana KT812	1.00- 5.48			10.66
51		Strop filigr 5.0 cm				
	1	5.500 x 0.630 m		3.47		
	2	Prety podł d 8	5.04- 5.73			4.25
	2	Prety podł d 6	4.51- 4.70			2.04
	19	Prety poprz d 6	0.33- 0.59			2.38
	2	Kratownica KT812	4.91- 5.48			13.07
	1	Kratown scinana KT808	0.61			0.71
	1	Kratown scinana KT812	1.00			1.26
	1	Prety dodatki d 8	0.59			0.23
	2	Prety dodatki d12	2.00			3.55
52		Strop filigr 5.0 cm				
	1	5.500 x 2.480 m		13.64		
	9	Prety podł d 8	4.92- 5.73			19.73
	8	Prety podł d 8	4.39- 4.70			14.73
	19	Prety poprz d 6	2.10- 2.44			10.07
	3	Kratownica KT812	5.48			20.68
	1	Kratown scinana KT808	1.00			1.16
	1	Kratown scinana KT812	5.48			6.89
	2	Prety dodatki d12	2.00			3.55
	1	Prety dodatki d 8	2.44			0.96
53		Strop filigr 5.0 cm				
	1	5.500 x 2.480 m		13.64		
	9	Prety podł d 8	5.73			20.37
	8	Prety podł d 8	4.70			14.85
	19	Prety poprz d 6	2.44			10.29
	4	Kratownica KT812	5.48			27.58
54		Strop filigr 5.0 cm				
	1	5.500 x 2.300 m		12.65		
	8	Prety podł d 8	4.92- 5.73			17.78
	7	Prety podł d 8	4.39- 4.70			12.87
	19	Prety poprz d 6	1.92- 2.26			9.31
	4	Kratownica KT812	4.79- 5.48			26.71
	1	Kratown scinana KT808	0.99			1.15
	1	Kratown scinana KT812	1.00			1.26
	2	Prety dodatki d12	2.00			3.55
	1	Prety dodatki d 8	2.26			0.89
55		Strop filigr 5.0 cm				
	1	4.000 x 0.715 m		2.86		

	3	Prety podł	d 8	4.23		5.01
	2	Prety podł	d 8	3.20		2.53
	13	Prety poprz	d 6	0.68		1.96
	2	Kratownica	KT812	3.98		10.01
56		Strop filigr	5.0 cm			
	1	4.000 x 2.480 m			9.92	
	9	Prety podł	d 8	4.23		15.04
	8	Prety podł	d 8	3.20		10.11
	13	Prety poprz	d 6	2.44		7.04
	4	Kratownica	KT812	3.98		20.03
57		Strop filigr	5.0 cm			
	1	4.000 x 2.480 m			9.56	
	13	Prety podł	d 8	0.27- 4.23		12.64
	10	Prety podł	d 8	0.38- 3.20		8.49
	16	Prety poprz	d 6	0.35- 2.44		6.18
	5	Kratownica	KT812	0.78- 3.98		18.77
	1	Kratown scinana	KT812	1.40		1.76
	3	Kratown scinana	KT808	2.46		8.57
	7	Prety dodatk	d10	2.18- 4.23		16.97
	4	Prety dodatk	d 8	2.44		3.86
	1	Otwor w płycie (przecignięty)				0.73
58		Strop filigr	5.0 cm			
	1	1.945 x 2.480 m			4.82	
	22	Prety podł	d 6	0.27- 2.18		6.96
	13	Prety poprz	d 6	1.79- 2.44		5.98
	4	Kratownica	KT812	0.78- 1.92		8.23
	1	Kratown scinana	KT812	1.40		1.76
	3	Kratown scinana	KT808	2.23- 2.46		8.30
	3	Prety dodatk	d10	2.18		4.03
	4	Prety dodatk	d 8	2.22- 2.44		3.68
59		Strop filigr	5.0 cm			
	1	5.500 x 2.480 m			13.64	
	9	Prety podł	d 8	4.92- 5.73		19.73
	8	Prety podł	d 8	4.39- 4.70		14.73
	19	Prety poprz	d 6	2.10- 2.44		10.07
	4	Kratownica	KT812	4.79- 5.48		26.71
	1	Kratown scinana	KT808	1.00		1.16
	1	Kratown scinana	KT812	1.00		1.26
	2	Prety dodatk	d12	2.00		3.55
	1	Prety dodatk	d 8	2.44		0.96
60		Strop filigr	5.0 cm			
	1	5.500 x 2.480 m			13.64	
	9	Prety podł	d 8	5.73		20.37
	8	Prety podł	d 8	4.70		14.85
	19	Prety poprz	d 6	2.44		10.29
	4	Kratownica	KT812	5.48		27.58
61		Strop filigr	5.0 cm			
	1	5.500 x 2.300 m			12.65	

	8	Prety podl d 8	4.92- 5.73			17.78
	7	Prety podl d 8	4.39- 4.70			12.87
	19	Prety poprz d 6	1.92- 2.26			9.31
	3	Kratownica KT812	5.48			20.68
	1	Kratown scinana KT808	0.99			1.15
	1	Kratown scinana KT812	5.48			6.89
	2	Prety dodatki d12	2.00			3.55
	1	Prety dodatki d 8	2.26			0.89
62		Strop filigr 5.0 cm				
	1	5.500 x 0.630 m		3.47		
	2	Prety podl d 8	5.73			4.53
	2	Prety podl d 6	4.52- 4.70			2.04
	19	Prety poprz d 6	0.34- 0.59			2.38
	2	Kratownica KT812	4.92- 5.48			13.08
	1	Kratown scinana KT808	0.61			0.71
	1	Kratown scinana KT812	1.00			1.26
	2	Prety dodatki d12	2.00			3.55
63		Strop filigr 5.0 cm				
	1	5.500 x 2.480 m		13.12		
	9	Prety podl d 8	4.24- 5.73			19.19
	8	Prety podl d 6	3.21- 4.70			8.01
	19	Prety poprz d 6	2.10- 2.44			9.91
	4	Kratownica KT812	3.98- 5.48			25.69
	2	Kratown scinana KT808	1.00			2.32
	4	Kratown scinana KT812	1.00- 5.48			10.66
64		Strop filigr 5.0 cm				
	1	4.005 x 2.480 m		9.93		
	10	Prety podl d 8	1.45- 4.24			14.93
	8	Prety podl d 6	3.21			5.70
	13	Prety poprz d 6	2.29- 2.44			7.01
	4	Kratownica KT812	3.98			20.03
	1	Kratown scinana KT812	1.00			1.26
	2	Prety dodatki d12	2.00			3.55
65		Strop filigr 5.0 cm				
	1	4.005 x 2.480 m		9.93		
	9	Prety podl d 8	4.24			15.07
	8	Prety podl d 6	3.21			5.70
	13	Prety poprz d 6	2.39- 2.44			7.03
	4	Kratownica KT812	3.98			20.03
	1	Kratown scinana KT812	1.00			1.26
	2	Prety dodatki d12	2.00			3.55
66		Strop filigr 5.0 cm				
	1	4.005 x 2.480 m		9.93		
	9	Prety podl d 8	4.24			15.07
	8	Prety podl d 6	3.21			5.70
	13	Prety poprz d 6	2.44			7.04
	4	Kratownica KT812	3.98			20.03
		Razem		670.92 0.73		4035.83

=====

WYMIAR ARKUSZA:

Obliczenia wg Wymiar b

POS.: 1-7; 9-33; 35-66;

=====

Poz	Oznaczenie	Ilosc
1	Großformatplatten	670.19 m2
2	Paßplatten	100% 670.19 m2
3	Aufz. Betongüte C30/37	670.19 m2
4	Gitterträger	1273.69 kg
5	Zulageträger	420.54 kg
6	Längseisen	1646.31 kg
7	Quereisen	533.57 kg
8	Zulageeisen	161.72 kg

=====